



Windows PowerShell Get-Help on Cmdlet 'Update-AzRecoveryServicesAsrvCenter'

PS: \>Get-HELP Update-AzRecoveryServicesAsrvCenter -Full

NAME

Update-AzRecoveryServicesAsrvCenter

SYNOPSIS

Update discovery details for a registered vCenter.

SYNTAX

```

Update-AzRecoveryServicesAsrvCenter [-Account
<Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRRunAsAccount>] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject
<Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRvCenter> [-Port <System.Nullable`1[System.Int32]>]
[-Confirm] [-WhatIf] [<CommonParameters>]

```

```

Update-AzRecoveryServicesAsrvCenter [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -ResourceId
<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

```

The Update-AzRecoveryServicesAsrvCenter cmdlet is updates discovery details for a registered vCenter.

PARAMETERS

-Account <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRRunAsAccount>

vCenter login credentials account.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRvCenter>

The vCenter server object to update discovery details for.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Port <System.Nullable`1[System.Int32]>

The TCP port on the vCenter server to use for discovery.

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ResourceId <System.String>

Specifies the resourceId of vCenter.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRvCenter

OUTPUTS

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRJob

NOTES

----- Example 1 -----

Update-AzRecoveryServicesAsrvCenter -Account \$fabric.fabricSpecificDetails.RunAsAccounts[1] -InputObject \$vCenter

Returns ASRJOB for update vCenter.

Update discovery details for a registered vCenter.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.recoveryservices/update-azrecoveryservicesasrvcenter>