



Windows PowerShell Get-Help on Cmdlet 'Update-AzStaticWebApp'

PS:\>Get-HELP Update-AzStaticWebApp -Full

NAME

Update-AzStaticWebApp

SYNOPSIS

Description for Creates a new static site in an existing resource group, or updates an existing static site.

SYNTAX

```
Update-AzStaticWebApp -Name <String> -ResourceGroupName <String> [-SubscriptionId <String>]
[-AllowConfigFileUpdate] [-ApiBuildCommand <String>] [-ApiLocation
<String>] [-AppArtifactLocation <String>] [-AppBuildCommand <String>] [-AppLocation <String>] [-Branch <String>]
[-ForkRepositoryDescription <String>]
[-ForkRepositoryIsPrivate] [-ForkRepositoryName <String>] [-ForkRepositoryOwner <String>]
[-GithubActionSecretNameOverride <String>] [-Kind <String>] [-OutputLocation
<String>] [-RepositoryToken <String>] [-RepositoryUrl <String>] [-SkipGithubActionWorkflowGeneration]
[-StagingEnvironmentPolicy <StagingEnvironmentPolicy>]
[-TemplateRepositoryUrl <String>] [-DefaultProfile <PSObject>] [-Break] [-HttpPipelineAppend <SendAsyncStep[]>]
[-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy
<Uri>] [-ProxyCredential <PSCredential>] [-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm] [<CommonParameters>]
```

Update-AzStaticWebApp -InputObject <IWebsitesIdentity> [-AllowConfigFileUpdate] [-ApiBuildCommand <String>] [-ApiLocation <String>] [-AppArtifactLocation <String>] [-AppBuildCommand <String>] [-AppLocation <String>] [-Branch <String>] [-ForkRepositoryDescription <String>] [-ForkRepositoryIsPrivate] [-ForkRepositoryName <String>] [-ForkRepositoryOwner <String>] [-GithubActionSecretNameOverride <String>] [-Kind <String>] [-OutputLocation <String>] [-RepositoryToken <String>] [-RepositoryUrl <String>] [-SkipGithubActionWorkflowGeneration] [-StagingEnvironmentPolicy <StagingEnvironmentPolicy>] [-TemplateRepositoryUrl <String>] [-DefaultProfile <PSObject>] [-Break] [-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential <PSCredential>] [-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm] [<CommonParameters>]

DESCRIPTION

Description for Creates a new static site in an existing resource group, or updates an existing static site.

PARAMETERS

-Name <String>

Name of the static site to create or update.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ResourceGroupName <String>

Name of the resource group to which the resource belongs.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SubscriptionId <String>

Your Azure subscription ID.

This is a GUID-formatted string (e.g.

00000000-0000-0000-0000-000000000000).

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-InputObject <IWebsitesIdentity>

Identity Parameter

To construct, see NOTES section for INPUTOBJECT properties and create a hash table.

Required? true

Position? named

Default value

Accept pipeline input? true (ByValue)

Accept wildcard characters? false

-AllowConfigFileUpdate [<SwitchParameter>]

`false` if config file is locked for this static web app; otherwise, `true`.

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-ApiBuildCommand <String>

A custom command to run during deployment of the Azure Functions API application.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ApiLocation <String>

The path to the api code within the repository.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-AppArtifactLocation <String>

Deprecated: The path of the app artifacts after building (deprecated in favor of OutputLocation)

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-AppBuildCommand <String>

A custom command to run during deployment of the static content application.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-AppLocation <String>

The path to the app code within the repository.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Branch <String>

The target branch in the repository.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ForkRepositoryDescription <String>

Description of the newly generated repository.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ForkRepositoryIsPrivate [<SwitchParameter>]

Whether or not the newly generated repository is a private repository.

Defaults to false (i.e.

public).

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-ForkRepositoryName <String>

Name of the newly generated repository.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ForkRepositoryOwner <String>

Owner of the newly generated repository.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-GithubActionSecretNameOverride <String>

Github Action secret name override.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Kind <String>

Kind of resource.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-OutputLocation <String>

The output path of the app after building.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-RepositoryToken <String>

A user's github repository token.

This is used to setup the Github Actions workflow file and API secrets.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-RepositoryUrl <String>

URL for the repository of the static site.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-SkipGithubActionWorkflowGeneration [<SwitchParameter>]

Skip Github Action workflow generation.

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-StagingEnvironmentPolicy <StagingEnvironmentPolicy>

State indicating whether staging environments are allowed or not allowed for a static web app.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-TemplateRepositoryUrl <String>

URL of the template repository.
The newly generated repository will be based on this one.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

`-DefaultProfile <PSObject>`

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

`-Break [<SwitchParameter>]`

Wait for .NET debugger to attach

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

`-HttpPipelineAppend <SendAsyncStep[]>`

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

`-HttpPipelinePrepend <SendAsyncStep[]>`

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false

Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters](https://go.microsoft.com/fwlink/?LinkID=113216) (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.PowerShell.Cmdlets.Websites.Models.IWebsitesIdentity

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.Websites.Models.Api20201201.IStaticSiteArmResource

NOTES

To create the parameters described below, construct a hash table containing the appropriate properties. For information on hash tables, run Get-Help about_Hash_Tables.

INPUTOBJECT <IWebsitesIdentity>: Identity Parameter

[AuthProvider <String>]: The auth provider for the users.

[DomainName <String>]: The custom domain name.

[EnvironmentName <String>]: The stage site identifier.

[FunctionAppName <String>]: Name of the function app registered with the static site build.

[Id <String>]: Resource identity path

[JobHistoryId <String>]: History ID.

[Location <String>]: Location where you plan to create the static site.

[Name <String>]: Name of the static site.

[PrivateEndpointConnectionName <String>]: Name of the private endpoint connection.

[ResourceGroupName <String>]: Name of the resource group to which the resource belongs.

[Slot <String>]: Name of the deployment slot. If a slot is not specified, the API deletes a deployment for the production slot.

[SubscriptionId <String>]: Your Azure subscription ID. This is a GUID-formatted string (e.g. 00000000-0000-0000-0000-000000000000).

[UserId <String>]: The user id of the user.

[WebJobName <String>]: Name of Web Job.

----- EXAMPLE 1 -----

```
PS C:\>Update-AzStaticWebApp -ResourceGroupName 'resourceGroup' -Name 'staticweb00'
```

----- EXAMPLE 2 -----

```
PS C:\>Get-AzStaticWebApp -ResourceGroupName 'resourceGroup' -Name 'staticweb00' | Update-AzStaticWebApp
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.websites/update-azstaticwebapp>