



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'ASN1_STRING_type_new.3oss!' command

```
$ man ASN1_STRING_type_new.3oss!
```

```
ASN1_STRING_NEW(3oss!)      OpenSSL      ASN1_STRING_NEW(3oss!)
```

NAME

ASN1_STRING_new, ASN1_STRING_type_new, ASN1_STRING_free - ASN1_STRING allocation functions

SYNOPSIS

```
#include <openssl/asn1.h>
```

```
ASN1_STRING *ASN1_STRING_new(void);  
ASN1_STRING *ASN1_STRING_type_new(int type);  
void ASN1_STRING_free(ASN1_STRING *a);
```

DESCRIPTION

ASN1_STRING_new() returns an allocated ASN1_STRING structure. Its type is undefined.

ASN1_STRING_type_new() returns an allocated ASN1_STRING structure of type type.

ASN1_STRING_free() frees up a. If a is NULL nothing is done.

Other string types call the ASN1_STRING functions. For example

ASN1_OCTET_STRING_new() calls ASN1_STRING_type(V_ASN1_OCTET_STRING).

RETURN VALUES

ASN1_STRING_new() and ASN1_STRING_type_new() return a valid ASN1_STRING structure or NULL if an error occurred.

ASN1_STRING_free() does not return a value.

SEE ALSO

ERR_get_error(3)

COPYRIGHT

Copyright 2002-2020 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file LICENSE in the source distribution or at <https://www.openssl.org/source/license.html>.

3.0.7 2023-07-13 ASN1_STRING_NEW(3openssl)