



Red Hat Enterprise Linux Release 9.2 Manual Pages on 'DSA_SIG_new.3ossl' command

\$ man DSA_SIG_new.3ossl

DSA_SIG_NEW(3ossl) OpenSSL DSA_SIG_NEW(3ossl)

NAME

DSA_SIG_get0, DSA_SIG_set0, DSA_SIG_new, DSA_SIG_free - allocate and free DSA signature objects

SYNOPSIS

```
#include <openssl/dsa.h>

DSA_SIG *DSA_SIG_new(void);

void DSA_SIG_free(DSA_SIG *a);

void DSA_SIG_get0(const DSA_SIG *sig, const BIGNUM **pr, const BIGNUM **ps);

int DSA_SIG_set0(DSA_SIG *sig, BIGNUM *r, BIGNUM *s);
```

DESCRIPTION

DSA_SIG_new() allocates an empty DSA_SIG structure.

DSA_SIG_free() frees the DSA_SIG structure and its components. The values are erased before the memory is returned to the system.

DSA_SIG_get0() returns internal pointers to the r and s values contained in sig.

The r and s values can be set by calling DSA_SIG_set0() and passing the new values for r and s as parameters to the function. Calling this function transfers the memory management of the values to the DSA_SIG object, and therefore the values that have been passed in should not be freed directly after this function has been called.

RETURN VALUES

If the allocation fails, DSA_SIG_new() returns NULL and sets an error

code that can be obtained by `ERR_get_error(3)`. Otherwise it returns a pointer to the newly allocated structure.

`DSA_SIG_free()` returns no value.

`DSA_SIG_set0()` returns 1 on success or 0 on failure.

SEE ALSO

`EVP_PKEY_new(3)`, `EVP_PKEY_free(3)`, `EVP_PKEY_get_bn_param(3)`,
`ERR_get_error(3)`

COPYRIGHT

Copyright 2000-2016 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use

this file except in compliance with the License. You can obtain a copy

in the file LICENSE in the source distribution or at

[<https://www.openssl.org/source/license.html>](https://www.openssl.org/source/license.html).

3.0.7 2023-07-13 DSA_SIG_NEW(3ossl)