



Red Hat Enterprise Linux Release 9.2 Manual Pages on 'EVP_desx_cbc.3oss1' command

```
$ man EVP_desx_cbc.3oss1
```

```
EVP_DESX_CBC(3oss1)      OpenSSL      EVP_DESX_CBC(3oss1)
```

NAME

EVP_desx_cbc - EVP DES-X cipher

SYNOPSIS

```
#include <openssl/evp.h>
```

```
const EVP_CIPHER *EVP_desx_cbc(void);
```

DESCRIPTION

The DES-X encryption algorithm for EVP.

All modes below use a key length of 128 bits and acts on blocks of 128-bits.

EVP_desx_cbc()

The DES-X algorithm in CBC mode.

This algorithm is not provided by the OpenSSL default provider. To use it is necessary to load either the OpenSSL legacy provider or another implementation.

RETURN VALUES

These functions return an `EVP_CIPHER` structure that contains the implementation of the symmetric cipher. See `EVP_CIPHER_meth_new(3)` for details of the `EVP_CIPHER` structure.

SEE ALSO

`evp(7)`, `EVP_EncryptInit(3)`, `EVP_CIPHER_meth_new(3)`

COPYRIGHT

Copyright 2017-2021 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file `LICENSE` in the source distribution or at <https://www.openssl.org/source/license.html>.

3.0.7 2023-07-13 `EVP_DESX_CBC(3openssl)`