



Red Hat Enterprise Linux Release 9.2 Manual Pages on 'EVP_seed_cfb128.3oss1' command

\$ man EVP_seed_cfb128.3oss1

EVP_SEED_CBC(3oss1) OpenSSL EVP_SEED_CBC(3oss1)

NAME

EVP_seed_cbc, EVP_seed_cfb, EVP_seed_cfb128, EVP_seed_ecb, EVP_seed_ofb
- EVP SEED cipher

SYNOPSIS

```
#include <openssl/evp.h>

const EVP_CIPHER *EVP_seed_cbc(void);
const EVP_CIPHER *EVP_seed_cfb(void);
const EVP_CIPHER *EVP_seed_cfb128(void);
const EVP_CIPHER *EVP_seed_ecb(void);
const EVP_CIPHER *EVP_seed_ofb(void);
```

DESCRIPTION

The SEED encryption algorithm for EVP.

All modes below use a key length of 128 bits and acts on blocks of 128-bits.

EVP_seed_cbc(), EVP_seed_cfb(), EVP_seed_cfb128(), EVP_seed_ecb(),
EVP_seed_ofb()

The SEED encryption algorithm in CBC, CFB, ECB and OFB modes respectively.

RETURN VALUES

These functions return an `EVP_CIPHER` structure that contains the implementation of the symmetric cipher. See `EVP_CIPHER_meth_new(3)` for details of the `EVP_CIPHER` structure.

SEE ALSO

`evp(7)`, `EVP_EncryptInit(3)`, `EVP_CIPHER_meth_new(3)`

COPYRIGHT

Copyright 2017-2020 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file `LICENSE` in the source distribution or at <https://www.openssl.org/source/license.html>.

3.0.7 2023-07-13 `EVP_SEED_CBC(3openssl)`