



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'OpenSSL_add_ssl_algorithms.3ossl' command

```
$ man OpenSSL_add_ssl_algorithms.3ossl
```

```
SSL_LIBRARY_INIT(3ossl)      OpenSSL      SSL_LIBRARY_INIT(3ossl)
```

NAME

SSL_library_init, OpenSSL_add_ssl_algorithms - initialize SSL library
by registering algorithms

SYNOPSIS

```
#include <openssl/ssl.h>
```

```
int SSL_library_init(void);
```

```
int OpenSSL_add_ssl_algorithms(void);
```

DESCRIPTION

SSL_library_init() registers the available SSL/TLS ciphers and digests.

OpenSSL_add_ssl_algorithms() is a synonym for SSL_library_init() and is implemented as a macro.

NOTES

SSL_library_init() must be called before any other action takes place.

SSL_library_init() is not reentrant.

WARNINGS

SSL_library_init() adds ciphers and digests used directly and indirectly by SSL/TLS.

RETURN VALUES

SSL_library_init() always returns "1", so it is safe to discard the return value.

SEE ALSO

ssl(7), RAND_add(3)

HISTORY

The SSL_library_init() and OpenSSL_add_ssl_algorithms() functions were deprecated in OpenSSL 1.1.0 by OPENSSL_init_ssl().

COPYRIGHT

Copyright 2000-2016 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file LICENSE in the source distribution or at <https://www.openssl.org/source/license.html>.

3.0.7 2023-07-13 SSL_LIBRARY_INIT(3ossl)