



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'SSL_SESSION_set_protocol_version.3ossl' command

```
$ man SSL_SESSION_set_protocol_version.3ossl
```

```
SSL_SESSION_GET_PROTOCOL_VERSION(3osOpeSSL_SESSION_GET_PROTOCOL_VERSION(3ossl)
```

NAME

SSL_SESSION_get_protocol_version, SSL_SESSION_set_protocol_version -
get and set the session protocol version

SYNOPSIS

```
#include <openssl/ssl.h>
```

```
int SSL_SESSION_get_protocol_version(const SSL_SESSION *s);
```

```
int SSL_SESSION_set_protocol_version(SSL_SESSION *s, int version);
```

DESCRIPTION

SSL_SESSION_get_protocol_version() returns the protocol version number used by session s.

SSL_SESSION_set_protocol_version() sets the protocol version associated with the SSL_SESSION object s to the value version. This value should be a version constant such as TLS1_3_VERSION etc. For example, this could be used to set up a session based PSK (see SSL_CTX_set_psk_use_session_callback(3)).

RETURN VALUES

SSL_SESSION_get_protocol_version() returns a number indicating the protocol version used for the session; this number matches the constants e.g. TLS1_VERSION, TLS1_2_VERSION or TLS1_3_VERSION.

Note that the SSL_SESSION_get_protocol_version() function does not perform a null check on the provided session s pointer.

SSL_SESSION_set_protocol_version() returns 1 on success or 0 on failure.

SEE ALSO

ssl(7), SSL_CTX_set_psk_use_session_callback(3)

HISTORY

The SSL_SESSION_get_protocol_version() function was added in OpenSSL 1.1.0. The SSL_SESSION_set_protocol_version() function was added in OpenSSL 1.1.1.

COPYRIGHT

Copyright 2001-2018 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file LICENSE in the source distribution or at <https://www.openssl.org/source/license.html>.

3.0.7 2023-SSL_SESSION_GET_PROTOCOL_VERSION(3openssl)