



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'SSL_get_peer_cert_chain.3ossl' command

\$ man SSL_get_peer_cert_chain.3ossl

SSL_GET_PEER_CERT_CHAIN(3ossl) OpenSSL SSL_GET_PEER_CERT_CHAIN(3ossl)

NAME

SSL_get_peer_cert_chain, SSL_get0_verified_chain - get the X509 certificate chain of the peer

SYNOPSIS

```
#include <openssl/ssl.h>
```

```
STACK_OF(X509) *SSL_get_peer_cert_chain(const SSL *ssl);
```

```
STACK_OF(X509) *SSL_get0_verified_chain(const SSL *ssl);
```

DESCRIPTION

SSL_get_peer_cert_chain() returns a pointer to STACK_OF(X509) certificates forming the certificate chain sent by the peer. If called on the client side, the stack also contains the peer's certificate; if called on the server side, the peer's certificate must be obtained separately using SSL_get_peer_certificate(3). If the peer did not present a certificate, NULL is returned.

NB: SSL_get_peer_cert_chain() returns the peer chain as sent by the peer: it only consists of certificates the peer has sent (in the order the peer has sent them) it is not a verified chain.

SSL_get0_verified_chain() returns the verified certificate chain of the peer including the peer's end entity certificate. It must be called after a session has been successfully established. If peer verification was not successful (as indicated by SSL_get_verify_result() not returning X509_V_OK) the chain may be incomplete or invalid.

NOTES

If the session is resumed peers do not send certificates so a NULL pointer is returned by these functions. Applications can call SSL_session_reused() to determine whether a session is resumed.

The reference count of each certificate in the returned STACK_OF(X509) object is not incremented and the returned stack may be invalidated by renegotiation. If applications wish to use any certificates in the returned chain indefinitely they must increase the reference counts using X509_up_ref() or obtain a copy of the whole chain with X509_chain_up_ref().

RETURN VALUES

The following return values can occur:

NULL

No certificate was presented by the peer or no connection was established or the certificate chain is no longer available when a session is reused.

Pointer to a STACK_OF(X509)

The return value points to the certificate chain presented by the peer.

SEE ALSO

ssl(7), SSL_get_peer_certificate(3), X509_up_ref(3),

X509_chain_up_ref(3)

COPYRIGHT

Copyright 2000-2016 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file LICENSE in the source distribution or at <https://www.openssl.org/source/license.html>.

3.0.7 2023-07-13 SSL_GET_PEER_CERT_CHAIN(3ossl)