



*Full credit is given to the above companies including the OS that this PDF file was generated!*

## **Red Hat Enterprise Linux Release 9.2 Manual Pages on 'X509\_REVOKED\_get\_ext\_by\_OBJ.3oss!' command**

```
$ man X509_REVOKED_get_ext_by_OBJ.3oss!
```

```
X509V3_GET_EXT_BY_NID(3oss!)  OpenSSL  X509V3_GET_EXT_BY_NID(3oss!)
```

### NAME

X509v3\_get\_ext\_count, X509v3\_get\_ext, X509v3\_get\_ext\_by\_NID,  
X509v3\_get\_ext\_by\_OBJ, X509v3\_get\_ext\_by\_critical, X509v3\_delete\_ext,  
X509v3\_add\_ext, X509\_get\_ext\_count, X509\_get\_ext, X509\_get\_ext\_by\_NID,  
X509\_get\_ext\_by\_OBJ, X509\_get\_ext\_by\_critical, X509\_delete\_ext,  
X509\_add\_ext, X509\_CRL\_get\_ext\_count, X509\_CRL\_get\_ext,  
X509\_CRL\_get\_ext\_by\_NID, X509\_CRL\_get\_ext\_by\_OBJ,  
X509\_CRL\_get\_ext\_by\_critical, X509\_CRL\_delete\_ext, X509\_CRL\_add\_ext,  
X509\_REVOKED\_get\_ext\_count, X509\_REVOKED\_get\_ext,  
X509\_REVOKED\_get\_ext\_by\_NID, X509\_REVOKED\_get\_ext\_by\_OBJ,  
X509\_REVOKED\_get\_ext\_by\_critical, X509\_REVOKED\_delete\_ext,  
X509\_REVOKED\_add\_ext - extension stack utility functions

### SYNOPSIS

```
#include <openssl/x509.h>
```

```
int X509v3_get_ext_count(const STACK_OF(X509_EXTENSION) *x);
```

```
X509_EXTENSION *X509v3_get_ext(const STACK_OF(X509_EXTENSION) *x, int loc);
```

```
int X509v3_get_ext_by_NID(const STACK_OF(X509_EXTENSION) *x,  
int nid, int lastpos);
```

```

int X509v3_get_ext_by_OBJ(const STACK_OF(X509_EXTENSION) *x,
                        const ASN1_OBJECT *obj, int lastpos);

int X509v3_get_ext_by_critical(const STACK_OF(X509_EXTENSION) *x,
                              int crit, int lastpos);

X509_EXTENSION *X509v3_delete_ext(STACK_OF(X509_EXTENSION) *x, int loc);
STACK_OF(X509_EXTENSION) *X509v3_add_ext(STACK_OF(X509_EXTENSION) **x,
                                         X509_EXTENSION *ex, int loc);

int X509_get_ext_count(const X509 *x);
X509_EXTENSION *X509_get_ext(const X509 *x, int loc);
int X509_get_ext_by_NID(const X509 *x, int nid, int lastpos);
int X509_get_ext_by_OBJ(const X509 *x, const ASN1_OBJECT *obj, int lastpos);
int X509_get_ext_by_critical(const X509 *x, int crit, int lastpos);
X509_EXTENSION *X509_delete_ext(X509 *x, int loc);
int X509_add_ext(X509 *x, X509_EXTENSION *ex, int loc);

int X509_CRL_get_ext_count(const X509_CRL *x);
X509_EXTENSION *X509_CRL_get_ext(const X509_CRL *x, int loc);
int X509_CRL_get_ext_by_NID(const X509_CRL *x, int nid, int lastpos);
int X509_CRL_get_ext_by_OBJ(const X509_CRL *x, const ASN1_OBJECT *obj,
                            int lastpos);
int X509_CRL_get_ext_by_critical(const X509_CRL *x, int crit, int lastpos);
X509_EXTENSION *X509_CRL_delete_ext(X509_CRL *x, int loc);
int X509_CRL_add_ext(X509_CRL *x, X509_EXTENSION *ex, int loc);

int X509_REVOKED_get_ext_count(const X509_REVOKED *x);
X509_EXTENSION *X509_REVOKED_get_ext(const X509_REVOKED *x, int loc);
int X509_REVOKED_get_ext_by_NID(const X509_REVOKED *x, int nid, int lastpos);
int X509_REVOKED_get_ext_by_OBJ(const X509_REVOKED *x, const ASN1_OBJECT *obj,
                                int lastpos);
int X509_REVOKED_get_ext_by_critical(const X509_REVOKED *x, int crit, int lastpos);
X509_EXTENSION *X509_REVOKED_delete_ext(X509_REVOKED *x, int loc);
int X509_REVOKED_add_ext(X509_REVOKED *x, X509_EXTENSION *ex, int loc);

```

## DESCRIPTION

`X509v3_get_ext_count()` retrieves the number of extensions in `x`.

`X509v3_get_ext()` retrieves extension `loc` from `x`. The index `loc` can take any value from 0 to `X509_get_ext_count(x) - 1`. The returned extension is an internal pointer which **MUST NOT** be freed by the application.

`X509v3_get_ext_by_NID()` and `X509v3_get_ext_by_OBJ()` look for an extension with `nid` or `obj` from extension STACK `x`. The search starts from the extension after `lastpos` or from the beginning if `lastpos` is `-1`. If the extension is found, its index is returned, otherwise `-1` is returned.

`X509v3_get_ext_by_critical()` is similar to `X509v3_get_ext_by_NID()` except it looks for an extension of criticality `crit`. A zero value for `crit` looks for a non-critical extension. A nonzero value looks for a critical extension.

`X509v3_delete_ext()` deletes the extension with index `loc` from `x`. The deleted extension is returned and must be freed by the caller. If `loc` is an invalid index value, `NULL` is returned.

`X509v3_add_ext()` adds extension `ex` to STACK `*x` at position `loc`. If `loc` is `-1`, the new extension is added to the end. If `*x` is `NULL`, a new STACK will be allocated. The passed extension `ex` is duplicated internally so it must be freed after use.

`X509_get_ext_count()`, `X509_get_ext()`, `X509_get_ext_by_NID()`, `X509_get_ext_by_OBJ()`, `X509_get_ext_by_critical()`, `X509_delete_ext()` and `X509_add_ext()` operate on the extensions of certificate `x`. They are otherwise identical to the `X509v3` functions.

X509\_CRL\_get\_ext\_count(), X509\_CRL\_get\_ext(),  
X509\_CRL\_get\_ext\_by\_NID(), X509\_CRL\_get\_ext\_by\_OBJ(),  
X509\_CRL\_get\_ext\_by\_critical(), X509\_CRL\_delete\_ext() and  
X509\_CRL\_add\_ext() operate on the extensions of CRL x. They are  
otherwise identical to the X509v3 functions.

X509\_REVOKED\_get\_ext\_count(), X509\_REVOKED\_get\_ext(),  
X509\_REVOKED\_get\_ext\_by\_NID(), X509\_REVOKED\_get\_ext\_by\_OBJ(),  
X509\_REVOKED\_get\_ext\_by\_critical(), X509\_REVOKED\_delete\_ext() and  
X509\_REVOKED\_add\_ext() operate on the extensions of CRL entry x. They  
are otherwise identical to the X509v3 functions.

## NOTES

These functions are used to examine stacks of extensions directly.

Applications that want to parse or encode and add an extension should  
use the extension encode and decode functions instead, such as  
X509\_add1\_ext\_i2d() and X509\_get\_ext\_d2i().

For X509v3\_get\_ext\_by\_NID(), X509v3\_get\_ext\_by\_OBJ(),  
X509v3\_get\_ext\_by\_critical() and its variants, a zero index return  
value is not an error since extension STACK x indices start from zero.  
These search functions start from the extension after the lastpos  
parameter so it should initially be set to -1. If it is set to zero,  
the initial extension will not be checked.

X509v3\_delete\_ext() and its variants are a bit counter-intuitive  
because these functions do not free the extension they delete. They  
return an X509\_EXTENSION object which must be explicitly freed using  
X509\_EXTENSION\_free().

## RETURN VALUES

X509v3\_get\_ext\_count() returns the extension count.

X509v3\_get\_ext(), X509v3\_delete\_ext() and X509\_delete\_ext() return an X509\_EXTENSION structure or NULL if an error occurs.

X509v3\_get\_ext\_by\_NID(), X509v3\_get\_ext\_by\_OBJ() and X509v3\_get\_ext\_by\_critical() return the extension index or -1 if an error occurs.

X509v3\_add\_ext() returns a STACK of extensions or NULL on error.

X509\_add\_ext() returns 1 on success and 0 on error.

#### SEE ALSO

X509V3\_get\_d2i(3)

#### COPYRIGHT

Copyright 2015-2022 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file LICENSE in the source distribution or at <https://www.openssl.org/source/license.html>.

3.0.7                    2023-07-13    X509V3\_GET\_EXT\_BY\_NID(3oss)