



*Full credit is given to the above companies including the OS that this PDF file was generated!*

## **Red Hat Enterprise Linux Release 9.2 Manual Pages on 'X509\_STORE\_CTX\_verify.3ossl' command**

**\$ man X509\_STORE\_CTX\_verify.3ossl**

X509\_VERIFY\_CERT(3ossl)      OpenSSL      X509\_VERIFY\_CERT(3ossl)

### NAME

X509\_build\_chain, X509\_verify\_cert, X509\_STORE\_CTX\_verify - build and verify X509 certificate chain

### SYNOPSIS

```
#include <openssl/x509_vfy.h>

STACK_OF(X509) *X509_build_chain(X509 *target, STACK_OF(X509) *certs,
                                X509_STORE *store, int with_self_signed,
                                OSSL_LIB_CTX *libctx, const char *propq);

int X509_verify_cert(X509_STORE_CTX *ctx);

int X509_STORE_CTX_verify(X509_STORE_CTX *ctx);
```

### DESCRIPTION

X509\_build\_chain() builds a certificate chain starting from target using the optional list of intermediate CA certificates certs. If store is NULL it builds the chain as far down as possible, ignoring errors. Else the chain must reach a trust anchor contained in store. It internally uses a X509\_STORE\_CTX structure associated with the library context libctx and property query string propq, both of which may be NULL. In case there is more than one possibility for the chain, only one is taken.

On success it returns a pointer to a new stack of (up\_ref'ed) certificates starting with target and followed by all available intermediate certificates. A self-signed trust anchor is included only

if target is the trust anchor of with\_self\_signed is 1. If a non-NULL stack is returned the caller is responsible for freeing it.

The X509\_verify\_cert() function attempts to discover and validate a certificate chain based on parameters in ctx. The verification context, of type X509\_STORE\_CTX, can be constructed using X509\_STORE\_CTX\_new(3) and X509\_STORE\_CTX\_init(3). It usually includes a target certificate to be verified, a set of certificates serving as trust anchors, a list of non-trusted certificates that may be helpful for chain construction, flags such as X509\_V\_FLAG\_X509\_STRICT, and various other optional components such as a callback function that allows customizing the verification outcome. A complete description of the certificate verification process is contained in the openssl-verification-options(1) manual page.

Applications rarely call this function directly but it is used by OpenSSL internally for certificate validation, in both the S/MIME and SSL/TLS code.

A negative return value from X509\_verify\_cert() can occur if it is invoked incorrectly, such as with no certificate set in ctx, or when it is called twice in succession without reinitialising ctx for the second call. A negative return value can also happen due to internal resource problems or because an internal inconsistency has been detected.

Applications must interpret any return value  $\leq 0$  as an error.

The X509\_STORE\_CTX\_verify() behaves like X509\_verify\_cert() except that its target certificate is the first element of the list of untrusted certificates in ctx unless a target certificate is set explicitly.

## RETURN VALUES

X509\_build\_chain() returns NULL on error, else a stack of certificates.

Both X509\_verify\_cert() and X509\_STORE\_CTX\_verify() return 1 if a complete chain can be built and validated, otherwise they return 0, and in exceptional circumstances (such as malloc failure and internal errors) they can also return a negative code.

If a complete chain can be built and validated both functions return 1.

If the certificate must be rejected on the basis of the data available

or any required certificate status data is not available they return 0.  
If no definite answer possible they usually return a negative code.  
On error or failure additional error information can be obtained by  
examining ctx using, for example, X509\_STORE\_CTX\_get\_error(3). Even if  
verification indicated success, the stored error code may be different  
from X509\_V\_OK, likely because a verification callback function has  
waived the error.

#### SEE ALSO

X509\_STORE\_CTX\_new(3), X509\_STORE\_CTX\_init(3),  
X509\_STORE\_CTX\_get\_error(3)

#### HISTORY

X509\_build\_chain() and X509\_STORE\_CTX\_verify() were added in OpenSSL  
3.0.

#### COPYRIGHT

Copyright 2009-2022 The OpenSSL Project Authors. All Rights Reserved.  
Licensed under the Apache License 2.0 (the "License"). You may not use  
this file except in compliance with the License. You can obtain a copy  
in the file LICENSE in the source distribution or at  
<<https://www.openssl.org/source/license.html>>.

3.0.7                    2023-07-13            X509\_VERIFY\_CERT(3ossl)