



*Full credit is given to the above companies including the OS that this PDF file was generated!*

## **Red Hat Enterprise Linux Release 9.2 Manual Pages on 'X509\_STORE\_unlock.3oss!' command**

**\$ man X509\_STORE\_unlock.3oss!**

X509\_STORE\_NEW(3oss!)      OpenSSL      X509\_STORE\_NEW(3oss!)

### NAME

X509\_STORE\_new, X509\_STORE\_up\_ref, X509\_STORE\_free,  
X509\_STORE\_lock, X509\_STORE\_unlock - X509\_STORE allocation, freeing and  
locking functions

### SYNOPSIS

```
#include <openssl/x509_vfy.h>

X509_STORE *X509_STORE_new(void);
void X509_STORE_free(X509_STORE *v);
int X509_STORE_lock(X509_STORE *v);
int X509_STORE_unlock(X509_STORE *v);
int X509_STORE_up_ref(X509_STORE *v);
```

### DESCRIPTION

The X509\_STORE\_new() function returns a new X509\_STORE.

X509\_STORE\_up\_ref() increments the reference count associated with the  
X509\_STORE object.

X509\_STORE\_lock() locks the store from modification by other threads,

X509\_STORE\_unlock() unlocks it.

X509\_STORE\_free() frees up a single X509\_STORE object.

## RETURN VALUES

X509\_STORE\_new() returns a newly created X509\_STORE or NULL if the call fails.

X509\_STORE\_up\_ref(), X509\_STORE\_lock() and X509\_STORE\_unlock() return 1 for success and 0 for failure.

X509\_STORE\_free() does not return values.

## SEE ALSO

X509\_STORE\_set\_verify\_cb\_func(3) X509\_STORE\_get0\_param(3)

## HISTORY

The X509\_STORE\_up\_ref(), X509\_STORE\_lock() and X509\_STORE\_unlock() functions were added in OpenSSL 1.1.0.

## COPYRIGHT

Copyright 2016-2020 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file LICENSE in the source distribution or at <https://www.openssl.org/source/license.html>.

3.0.7                      2023-07-13                      X509\_STORE\_NEW(3openssl)