



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'csqrtf.3' command

\$ man csqrtf.3

CSQRT(3) Linux Programmer's Manual CSQRT(3)

NAME

csqrt, csqrft, csqrtl - complex square root

SYNOPSIS

```
#include <complex.h>

double complex csqrt(double complex z);

float complex csqrtf(float complex z);

long double complex csqrtd(long double complex z);
```

Link with -Im.

DESCRIPTION

These functions calculate the complex square root of z , with a branch cut along the negative real axis. (That means that $\text{csqrt}(-1+\text{eps}i)$ will be close to i while $\text{csqrt}(-1-\text{eps}i)$ will be close to $-i$, if eps is a small positive real number.)

VERSIONS

These functions first appeared in glibc in version 2.1.

ATTRIBUTES

For an explanation of the terms used in this section, see at? tributes(7)

??
?Interface ? Attribute ? Value ?
??
?csgrt(), csgrtf(), csgrtl() ? Thread safety ? MT-Safe ?

??

CONFORMING TO

C99, POSIX.1-2001, POSIX.1-2008.

SEE ALSO

`cabs(3)`, `cexp(3)`, `complex(7)`

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A

description of the project, information about reporting bugs, and the

latest version of this page, can be found at

<https://www.kernel.org/doc/man-pages/>.

2017-09-15

CSQRT(3)