



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'fmin.3' command

\$ man fmin.3

FMIN(3) Linux Programmer's Manual FMIN(3)

NAME

fmin, fminf, fminl - determine minimum of two floating-point numbers

SYNOPSIS

```
#include <math.h>

double fmin(double x, double y);

float fminf(float x, float y);

long double fminl(long double x, long double y);
```

Link with -lm.

Feature Test Macro Request

`fmin()`, `fminf()`, `fminl()`:

_ISOC99

DESCRIPTION

These functions

TURN VALUE

These functions return the minimum of x and y.

If one argument is a NaN, the other argument

If both

ERRORS

No erro

VERSIONS

These fun

For an explanation of the terms used in this section, see at?

tributes(7).

???

?Interface ? Attribute ? Value ?

???

?fmin(), fminf(), fminl() ? Thread safety ? MT-Safe ?

???

CONFORMING TO

C99, POSIX.1-2001, POSIX.1-2008.

SEE ALSO

fdim(3), fmax(3)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at

<https://www.kernel.org/doc/man-pages/>.

2017-09-15

FMIN(3)