



## ***Red Hat Enterprise Linux Release 9.2 Manual Pages on 'getpgrp.3p' command***

***\$ man getpgrp.3p***

GETPGRP(3P)            POSIX Programmer's Manual            GETPGRP(3P)

### PROLOG

This manual page is part of the POSIX Programmer's Manual. The Linux implementation of this interface may differ (consult the corresponding Linux manual page for details of Linux behavior), or the interface may not be implemented on Linux.

### NAME

getpgrp ? get the process group ID of the calling process

### SYNOPSIS

```
#include <unistd.h>

pid_t getpgrp(void);
```

### DESCRIPTION

The `getpgrp()` function shall return the process group ID of the calling process.

### RETURN VALUE

The `getpgrp()` function shall always be successful and no return value is reserved to indicate an error.

### ERRORS

No errors are defined.

The following sections are informative.

### EXAMPLES

None.

### APPLICATION USAGE

None.

## RATIONALE

4.3 BSD provides a `getpgrp()` function that returns the process group ID for a specified process. Although this function supports job control, all known job control shells always specify the calling process with this function. Thus, the simpler System V `getpgrp()` suffices, and the added complexity of the 4.3 BSD `getpgrp()` is provided by the XSI extension `getpgid()`.

## FUTURE DIRECTIONS

None.

## SEE ALSO

`exec`, `fork()`, `getpgid()`, `getpid()`, `getppid()`, `kill()`, `setpgid()`, `setuid()`, `setgid()`

The Base Definitions volume of POSIX.1-2017, `<sys_types.h>`, `<unistd.h>`

## COPYRIGHT

Portions of this text are reprinted and reproduced in electronic form from IEEE Std 1003.1-2017, Standard for Information Technology -- Portable Operating System Interface (POSIX), The Open Group Base Specifications Issue 7, 2018 Edition, Copyright (C) 2018 by the Institute of Electrical and Electronics Engineers, Inc and The Open Group. In the event of any discrepancy between this version and the original IEEE and The Open Group Standard, the original IEEE and The Open Group Standard is the referee document. The original Standard can be obtained online at <http://www.opengroup.org/unix/online.html>.

Any typographical or formatting errors that appear in this page are most likely to have been introduced during the conversion of the source files to man page format. To report such errors, see [https://www.kernel.org/doc/man-pages/reporting\\_bugs.html](https://www.kernel.org/doc/man-pages/reporting_bugs.html).