



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'logf.3' command

\$ man logf.3

LOG(3) Linux Programmer's Manual LOG(3)

NAME

log, logf, logl - natural logarithmic function

SYNOPSIS

```
#include <math.h>

double log(double x);

float logf(float x);

long double logl(long double x);
```

Link with -Im.

Feature Test Macro Requirements for glibc (see `feature_test_macros(7)`):

logf(), logl():

```
_ISOC99_SOURCE || _POSIX_C_SOURCE >= 200112L
|| /* Since glibc 2.19: */ _DEFAULT_SOURCE
|| /* Glibc versions <= 2.19: */ _BSD_SOURCE || _SVID_SOURCE
```

DESCRIPTION

These functions return the natural logarithm of x .

RETURN VALUE

On success, these functions return the natural logarithm of x .

If x is a `NaN`, a `NaN` is returned

If x is 1, the result is ± 0

If x is positive infinity, positive infinity is returned

If x is zero, then a pole error occurs and the functions return

-HUGE VAL, -HUGE VAL E or -HUGE VAL L, respectively.

If x is negative (including negative infinity), then a domain error occurs, and a NaN (not a number) is returned.

ERRORS

See `math_error(7)` for information on how to determine whether an error has occurred when calling these functions.

The following errors can occur:

Domain error: x is negative

`errno` is set to `EDOM`. An invalid floating-point exception (`FE_INVALID`) is raised.

Pole error: x is zero

`errno` is set to `ERANGE`. A divide-by-zero floating-point exception (`FE_DIVBYZERO`) is raised.

ATTRIBUTES

For an explanation of the terms used in this section, see `attributes(7)`.

??

?Interface ? Attribute ? Value ?

??

?`log()`, `logf()`, `logl()` ? Thread safety ? MT-Safe ?

??

CONFORMING TO

C99, POSIX.1-2001, POSIX.1-2008.

The variant returning double also conforms to SVr4, 4.3BSD, C89.

BUGS

In glibc 2.5 and earlier, taking the `log()` of a NaN produces a bogus invalid floating-point (`FE_INVALID`) exception.

SEE ALSO

`cbrt(3)`, `clog(3)`, `log10(3)`, `log1p(3)`, `log2(3)`, `sqrt(3)`

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

2017-09-15

LOG(3)