



*Full credit is given to the above companies including the OS that this PDF file was generated!*

## **Red Hat Enterprise Linux Release 9.2 Manual Pages on 'nvme-changed-ns-list-log.1' command**

**\$ man nvme-changed-ns-list-log.1**

NVME-CHANGED-NS-L(1) NVMe Manual NVME-CHANGED-NS-L(1)

### **NAME**

nvme-changed-ns-list-log - Send NVMe Changed Namespace List log page

request, returns result and log.

### **SYNOPSIS**

```
nvme changed-ns-list-log <device> [--raw-binary | -b]
                                [--output-format=<fmt> | -o <fmt>]
```

### **DESCRIPTION**

Retrieves the NVMe Changed Namespace List log page from an NVMe device and provides the returned structure.

The <device> parameter is mandatory and must be a NVMe character device (ex: /dev/nvme0).

On success, the returned Changed Namespace List log structure may be returned in one of several ways depending on the option flags; the structure may be parsed by the program and printed in a readable format or the raw buffer may be printed to stdout for another program to parse.

### **OPTIONS**

**-b, --raw-binary**

Print the raw Changed Namespace List log buffer to stdout.

**-o <format>, --output-format=<format>**

Set the reporting format to normal, json, or binary. Only one output format can be used at a time.

### **EXAMPLES**

? Print the Changed Namespace List Log page in a human readable

format:

```
# nvme changed-ns-list-log /dev/nvme0
```

? Print the raw Changed Namespace List log to a file:

```
# nvme changed-ns-list-log /dev/nvme0 --raw-binary > log.raw
```

It is probably a bad idea to not redirect stdout when using this

mode.

## NVME

Part of the nvme-user suite

NVMe 06/23/2023 NVME-CHANGED-NS-L(1)