



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'nvme-resv-notif-log.1' command

\$ man nvme-resv-notif-log.1

NVME-RESV-NOTIF-L(1) NVMe Manual NVME-RESV-NOTIF-L(1)

NAME

nvme-resv-notif-log - Send NVMe Reservation Notification log page

request, return result and log

SYNOPSIS

nvme resv-notif-log <device> [--output-format=<fmt> | -o <fmt>]

DESCRIPTION

Retrieves NVMe Reservation Notification log page from an NVMe device and provides the returned structure.

The <device> parameter is mandatory and may be either the NVMe character device (ex: /dev/nvme0), or a namespace block device (ex: /dev/nvme0n1).

On success, the returned Reservation Notification log structure may be returned in one of several ways depending on the option flags; the structure may be parsed by the program and printed in a readable format or the raw buffer may be printed to stdout for another program to parse.

OPTIONS

-o <format>, --output-format=<format>

Set the reporting format to normal, json, or binary. Only one output format can be used at a time.

EXAMPLES

? Get the Reservation Notification log and print it in a human readable format:

```
# nvme resv-notif-log /dev/nvme0
```

? Print the output in json format:

```
# nvme resv-notif-log /dev/nvme0 -o json
```

NVME

Part of the nvme-user suite

NVMe 06/23/2023 NVME-RESV-NOTIF-L(1)