



*Full credit is given to the above companies including the OS that this PDF file was generated!*

## **Red Hat Enterprise Linux Release 9.2 Manual Pages on 'openssl-core\_dispatch.h.7ossl' command**

***\$ man openssl-core\_dispatch.h.7ossl***

OPENSSL-CORE\_DISPATCH.H(7ossl)    OpenSSL    OPENSSL-CORE\_DISPATCH.H(7ossl)

### NAME

openssl/core\_dispatch.h - OpenSSL provider dispatch numbers and function types

### SYNOPSIS

```
#include <openssl/core_dispatch.h>
```

### DESCRIPTION

The <openssl/core\_dispatch.h> header defines all the operation numbers, dispatch numbers and provider interface function types currently available.

The operation and dispatch numbers are represented with macros, which are named as follows:

operation numbers

These macros have the form "OSSL\_OP\_opname".

dispatch numbers

These macros have the form "OSSL\_FUNC\_opname\_funcname", where

"opname" is the same as in the macro for the operation this

function belongs to.

With every dispatch number, there is an associated function type.

For further information, please see the provider(7)

#### SEE ALSO

provider(7)

#### HISTORY

The types and macros described here were added in OpenSSL 3.0.

#### COPYRIGHT

Copyright 2020 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file LICENSE in the source distribution or at <https://www.openssl.org/source/license.html>.

3.0.7                    2023-07-13    OPENSSL-CORE\_DISPATCH.H(7ossl)