



Red Hat Enterprise Linux Release 9.2 Manual Pages on 'podman-generate.1' command

\$ man podman-generate.1

podman-generate(1) General Commands Manual podman-generate(1)

NAME

podman-generate - Generate structured data based on containers, pods or volumes

SYNOPSIS

podman generate subcommand

DESCRIPTION

The generate command will create structured output (like YAML) based on a container, pod or volume.

COMMANDS

??

?Command	? Man Page	? Description	?
----------	------------	---------------	---

??

?kube	? podman-kube-generate(1)	? Generate Kubernetes	?
-------	---------------------------	-----------------------	---

?	?	? YAML based on con?	?
---	---	----------------------	---

?	?	? tainers, pods or	?
---	---	--------------------	---

?	?	? volumes.	?
---	---	------------	---

??

?spec	? podman-generate-spec(1)	? Generate Specgen	?
-------	---------------------------	--------------------	---

?	?	? JSON based on con?	?
---	---	----------------------	---

?	?	? tainers or pods.	?
---	---	--------------------	---

??

?systemd	? podman-generate-systemd(1)	? Generate systemd	?
----------	------------------------------	--------------------	---

? ? ? unit file(s) for a ?

? ? ? container or pod. ?

??

SEE ALSO

podman(1), podman-pod(1), podman-container(1)

podman-generate(1)