



Red Hat Enterprise Linux Release 9.2 Manual Pages on 'toascii.3p' command

\$ man toascii.3p

TOASCII(3P) POSIX Programmer's Manual TOASCII(3P)

PROLOG

This manual page is part of the POSIX Programmer's Manual. The Linux implementation of this interface may differ (consult the corresponding Linux manual page for details of Linux behavior), or the interface may not be implemented on Linux.

NAME

toascii ? translate an integer to a 7-bit ASCII character

SYNOPSIS

```
#include <ctype.h>

int toascii(int c);
```

DESCRIPTION

The toascii() function shall convert its argument into a 7-bit ASCII character.

RETURN VALUE

The toascii() function shall return the value (c & 0x7f).

ERRORS

No errors are returned.

The following sections are informative.

EXAMPLES

None.

APPLICATION USAGE

The toascii() function cannot be used portably in a localized applica?

tion.

RATIONALE

None.

FUTURE DIRECTIONS

The `toascii()` function may be removed in a future version.

SEE ALSO

`isascii()`

The Base Definitions volume of POSIX.1-2017, `<ctype.h>`

COPYRIGHT

Portions of this text are reprinted and reproduced in electronic form from IEEE Std 1003.1-2017, Standard for Information Technology -- Portable Operating System Interface (POSIX), The Open Group Base Specifications Issue 7, 2018 Edition, Copyright (C) 2018 by the Institute of Electrical and Electronics Engineers, Inc and The Open Group. In the event of any discrepancy between this version and the original IEEE and The Open Group Standard, the original IEEE and The Open Group Standard is the referee document. The original Standard can be obtained online at <http://www.opengroup.org/unix/online.html>.

Any typographical or formatting errors that appear in this page are most likely to have been introduced during the conversion of the source files to man page format. To report such errors, see https://www.kernel.org/doc/man-pages/reporting_bugs.html.

IEEE/The Open Group

2017

TOASCII(3P)