



Red Hat Enterprise Linux Release 9.2 Manual Pages on 'toupper.3p' command

\$ man toupper.3p

TOWUPPER(3P) POSIX Programmer's Manual TOWUPPER(3P)

PROLOG

This manual page is part of the POSIX Programmer's Manual. The Linux implementation of this interface may differ (consult the corresponding Linux manual page for details of Linux behavior), or the interface may not be implemented on Linux.

NAME

`toupper`, `toupper_l` ? transliterate lowercase wide-character code to uppercase

SYNOPSIS

```
#include <wctype.h>

wint_t toupper(wint_t wc);

wint_t toupper_l(wint_t wc, locale_t locale);
```

DESCRIPTION

For `toupper()`: The functionality described on this reference page is aligned with the ISO C standard. Any conflict between the requirements described here and the ISO C standard is unintentional. This volume of POSIX.1?2017 defers to the ISO C standard.

The `toupper()` and `toupper_l()` functions have as a domain a type `wint_t`, the value of which the application shall ensure is a character representable as a `wchar_t`, and a wide-character code corresponding to a valid character in the locale used by the function or the value of `WEOF`. If the argument has any other value, the behavior is undefined.

If the argument of `towupper()` or `towupper_l()` represents a lowercase wide-character code, and there exists a corresponding uppercase wide-character code as defined by character type information in the current locale or in the locale represented by `locale`, respectively (category `LC_CTYPE`), the result shall be the corresponding uppercase wide-character code. All other arguments in the domain are returned unchanged. The behavior is undefined if the locale argument to `towupper_l()` is the special locale object `LC_GLOBAL_LOCALE` or is not a valid locale object handle.

RETURN VALUE

Upon successful completion, the `towupper()` and `towupper_l()` functions shall return the uppercase letter corresponding to the argument passed.

Otherwise, they shall return the argument unchanged.

ERRORS

No errors are defined.

The following sections are informative.

EXAMPLES

None.

APPLICATION USAGE

None.

RATIONALE

None.

FUTURE DIRECTIONS

None.

SEE ALSO

`setlocale()`, `uselocale()`

The Base Definitions volume of POSIX.1-2017, Chapter 7, Locale, `<locale.h>`, `<wctype.h>`

COPYRIGHT

Portions of this text are reprinted and reproduced in electronic form from IEEE Std 1003.1-2017, Standard for Information Technology -- Portable Operating System Interface (POSIX), The Open Group Base Specifications Issue 7, 2018 Edition, Copyright (C) 2018 by the Institute of

Electrical and Electronics Engineers, Inc and The Open Group. In the event of any discrepancy between this version and the original IEEE and The Open Group Standard, the original IEEE and The Open Group Standard is the referee document. The original Standard can be obtained online at <http://www.opengroup.org/unix/online.html> .

Any typographical or formatting errors that appear in this page are most likely to have been introduced during the conversion of the source files to man page format. To report such errors, see https://www.kernel.org/doc/man-pages/reporting_bugs.html .

IEEE/The Open Group

2017

TOWUPPER(3P)