



Red Hat Enterprise Linux Release 9.2 Manual Pages on 'tpm2_policynv.1' command

\$ man tpm2_policynv.1

tpm2_policynv(1) General Commands Manual tpm2_policynv(1)

NAME

tpm2_policynv(1) - Evaluates policy authorization by comparing a specified value against the contents in the specified NV Index.

SYNOPSIS

tpm2_policynv [OPTIONS] [ARGUMENT] [ARGUMENT]

DESCRIPTION

tpm2_policynv(1) - This command evaluates policy authorization by comparing the contents written to an NV index against the one specified in the tool options. The tool takes two arguments - (1) The NV index specified as raw handle or an offset value to the nv handle range ?TPM2_HR_NV_INDEX? and (2) Comparison operator for magnitude comparison and or bit test operations. In the specification the NV index holding the data is called operandA and the data that the user specifies to compare is called operandB. The comparison operator can be specified as follows: * ?eq? if operandA = operandB * ?neq? if operandA != operandB * ?sgt? if signed operandA > signed operandB * ?ugt? if unsigned operandA > unsigned operandB * ?slt? if signed operandA < signed operandB * ?ult? if unsigned operandA < unsigned operandB * ?sge? if signed operandA >= signed operandB * ?uge? if unsigned operandA >= unsigned operandB * ?sle? if signed operandA <= signed operandB * ?ule? if unsigned operandA <= unsigned operandB * ?bs? if all bits set in operandA are set in operandB * ?bc? if all bits set in operandA are

clear in operandB

OPTIONS

? -C, --hierarchy=OBJECT:

Specifies the hierarchy used to authorize. Supported options are:

? o for TPM_RH_OWNER

? p for TPM_RH_PLATFORM

? <num> where a hierarchy handle or nv-index may be used.

When -C isn't explicitly passed the index handle will be used to au?

thorize against the index. The index auth value is set via the -p

option to tpm2_nvdefine(1).

? -P, --auth=AUTH:

Specifies the authorization value for the hierarchy.

? -L, --policy=FILE:

File to save the policy digest.

? -S, --session=FILE:

The policy session file generated via the -S option to tpm2_star?

tauthsession or saved off of a previous tool run.

? --offset=NATURAL_NUMBER:

The offset within the NV index to start comparing at. The size of

the data starting at offset and ending at size of NV index shall not

exceed the size of the operand specified in the options.

? --cphash=FILE

File path to record the hash of the command parameters. This is com?

monly termed as cpHash. NOTE: When this option is selected, The tool

will not actually execute the command, it simply returns a cpHash.

? -i, --input=FILE:

Specifies the input file with data to compare to NV Index contents.

In the standard specification, this is termed as operand or operandB

more specifically . It can be specified as a file input or stdin if

option value is a ?-?.

References

COMMON OPTIONS

This collection of options are common to many programs and provide in?

formation that many users may expect.

? -h, --help=[man|no-man]: Display the tools manpage. By default, it attempts to invoke the manpager for the tool, however, on failure will output a short tool summary. This is the same behavior if the ?man? option argument is specified, however if explicit ?man? is requested, the tool will provide errors from man on stderr. If the ?no-man? option is specified, or the manpager fails, the short options will be output to stdout.

To successfully use the manpages feature requires the manpages to be installed or on MANPATH, See man(1) for more details.

? -v, --version: Display version information for this tool, supported tctis and exit.

? -V, --verbose: Increase the information that the tool prints to the console during its execution. When using this option the file and line number are printed.

? -Q, --quiet: Silence normal tool output to stdout.

? -Z, --enable-errata: Enable the application of errata fixups. Useful if an errata fixup needs to be applied to commands sent to the TPM.

Defining the environment TPM2TOOLS_ENABLE_ERRATA is equivalent. in?

formation many users may expect.

TCTI Configuration

The TCTI or ?Transmission Interface? is the communication mechanism with the TPM. TCTIs can be changed for communication with TPMs across different mediums.

To control the TCTI, the tools respect:

1. The command line option -T or --tcti
2. The environment variable: TPM2TOOLS_TCTI.

Note: The command line option always overrides the environment variable.

The current known TCTIs are:

? tabrmd - The resource manager, called tabrmd (<https://github.com/tpm2-software/tpm2-abrmd>). Note that tabrmd and abrmd as a tcti name are synonymous.

? mssim - Typically used for communicating to the TPM software simulator.

? device - Used when talking directly to a TPM device file.

? none - Do not initialize a connection with the TPM. Some tools allow for off-tpm options and thus support not using a TCTI. Tools that do not support it will error when attempted to be used without a TCTI connection. Does not support ANY options and MUST BE presented as the exact text of ?none?.

The arguments to either the command line option or the environment variable are in the form:

<tcti-name>:<tcti-option-config>

Specifying an empty string for either the <tcti-name> or <tcti-option-config> results in the default being used for that portion respectively.

TCTI Defaults

When a TCTI is not specified, the default TCTI is searched for using dlopen(3) semantics. The tools will search for tabrmd, device and mssim TCTIs IN THAT ORDER and USE THE FIRST ONE FOUND. You can query what TCTI will be chosen as the default by using the -v option to print the version information. The ?default-tcti? key-value pair will indicate which of the aforementioned TCTIs is the default.

Custom TCTIs

Any TCTI that implements the dynamic TCTI interface can be loaded. The tools internally use dlopen(3), and the raw tcti-name value is used for the lookup. Thus, this could be a path to the shared library, or a library name as understood by dlopen(3) semantics.

TCTI OPTIONS

This collection of options are used to configure the various known TCTI modules available:

? device: For the device TCTI, the TPM character device file for use by the device TCTI can be specified. The default is /dev/tpm0.

Example: -T device:/dev/tpm0 or export TPM2TOOLS_TCTI=device:/dev/tpm0?

? mssim: For the mssim TCTI, the domain name or IP address and port number used by the simulator can be specified. The default are 127.0.0.1 and 2321.

Example: -T mssim:host=localhost,port=2321 or export TPM2TOOLS_TC?

TI=?mssim:host=localhost,port=2321?

? abrmd: For the abrmd TCTI, the configuration string format is a series of simple key value pairs separated by a ',' character. Each key and value string are separated by a '=' character.

? TCTI abrmd supports two keys:

1. 'bus_name' : The name of the tabrmd service on the bus (a string).
2. 'bus_type' : The type of the dbus instance (a string) limited to 'session' and 'system'.

Specify the tabrmd tcti name and a config string of bus_name=com.ex?

ample.FooBar:

```
--tcti=tabrmd:bus_name=com.example.FooBar
```

Specify the default (abrmd) tcti and a config string of bus_type=ses?

sion:

```
--tcti:bus_type=session
```

NOTE: abrmd and tabrmd are synonymous. the various known TCTI modules.

EXAMPLES

Test if NV index content value is equal to an input number. To do this we first create an NV index of size 1 byte and write a value. Eg. 0xAA. Next we attempt to create a policy that becomes valid if the equality comparison operation of the NV index content against the one specified in the tool options.

Define the test NV Index and write the value 0xAA to it

```
nv_test_index=0x01500001
```

```
tpm2_nvdefine -C o -p nvpass $nv_test_index -a "authread|authwrite" -s 1
```

```
echo "aa" | xxd -r -p | tpm2_nvwrite -P nvpass -i $nv_test_index
```

Attempt defining policy nv with wrong comparison value specified in options.

```
tpm2_startauthsession -S session.ctx --policy-session
```

This should fail

```
echo 0xBB | tpm2_policynv -S session.ctx -L policy.nv -i- 0x1500001 eq -P nvpass
```

```
tpm2_flushcontext session.ctx
```

Attempt defining policynv with right comparison value specified in options.

```
tpm2_startauthsession -S session.ctx --policy-session
```

This should pass

```
echo 0xAA | tpm2_policynv -S session.ctx -L policy.nv -i- 0x1500001 eq -P nvpass
```

```
tpm2_flushcontext session.ctx
```

Returns

Tools can return any of the following codes:

- ? 0 - Success.
- ? 1 - General non-specific error.
- ? 2 - Options handling error.
- ? 3 - Authentication error.
- ? 4 - TCTI related error.
- ? 5 - Non supported scheme. Applicable to tpm2_testparams.

Limitations

It expects a session to be already established via tpm2_startauthses?
sion(1) and requires one of the following:

- ? direct device access
- ? extended session support with tpm2-abrmd.

Without it, most resource managers will not save session state between
command invocations.

BUGS

Github Issues (<https://github.com/tpm2-software/tpm2-tools/issues>)

HELP

See the Mailing List (<https://lists.01.org/mailman/listinfo/tpm2>)

tpm2-tools

tpm2_policynv(1)