



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'tr' command

\$ man tr

TR(1) User Commands TR(1)

NAME

tr - translate or delete characters

SYNOPSIS

tr [OPTION]... SET1 [SET2]

DESCRIPTION

Translate, squeeze, and/or delete characters from standard input, writing to standard output.

-c, -C, --complement

use the complement of SET1

-d, --delete

delete characters in SET1, do not translate

-s, --squeeze-repeats

replace each sequence of a repeated character that is listed in the last specified SET, with a single occurrence of that character

ter

-t, --truncate-set1

first truncate SET1 to length of SET2

--help display this help and exit

--version

output version information and exit

SETs are specified as strings of characters. Most represent themselves. Interpreted sequences are:

selves. Interpreted sequences are:

\NNN character with octal value NNN (1 to 3 octal digits)

\\ backslash

\a audible BEL

\b backspace

\f form feed

\n new line

\r return

\t horizontal tab

\v vertical tab

CHAR1-CHAR2

all characters from CHAR1 to CHAR2 in ascending order

[CHAR*]

in SET2, copies of CHAR until length of SET1

[CHAR*REPEAT]

REPEAT copies of CHAR, REPEAT octal if starting with 0

[:alnum:]

all letters and digits

[:alpha:]

all letters

[:blank:]

all horizontal whitespace

[:cntrl:]

all control characters

[:digit:]

all digits

[:graph:]

all printable characters, not including space

[:lower:]

all lower case letters

[:print:]

all printable characters, including space

[:punct:]

all punctuation characters

[[:space:]]

all horizontal or vertical whitespace

[[:upper:]]

all upper case letters

[[:xdigit:]]

all hexadecimal digits

[[:CHAR=]]

all characters which are equivalent to CHAR

Translation occurs if -d is not given and both SET1 and SET2 appear.

-t may be used only when translating. SET2 is extended to length of SET1 by repeating its last character as necessary. Excess characters of SET2 are ignored. Only [[:lower:]] and [[:upper:]] are guaranteed to expand in ascending order; used in SET2 while translating, they may only be used in pairs to specify case conversion. -s uses the last specified SET, and occurs after translation or deletion.

AUTHOR

Written by Jim Meyering.

REPORTING BUGS

GNU coreutils online help: <<https://www.gnu.org/software/coreutils/>>

Report any translation bugs to <<https://translationproject.org/team/>>

COPYRIGHT

Copyright ? 2020 Free Software Foundation, Inc. License GPLv3+: GNU

GPL version 3 or later <<https://gnu.org/licenses/gpl.html>>.

This is free software: you are free to change and redistribute it.

There is NO WARRANTY, to the extent permitted by law.

SEE ALSO

Full documentation <<https://www.gnu.org/software/coreutils/tr>>

or available locally via: info '(coreutils) tr invocation'