



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'vfprintf.3p' command

\$ man vfprintf.3p

VFPRINTF(3P) POSIX Programmer's Manual VFPRINTF(3P)

PROLOG

This manual page is part of the POSIX Programmer's Manual. The Linux implementation of this interface may differ (consult the corresponding Linux manual page for details of Linux behavior), or the interface may not be implemented on Linux.

NAME

vdprintf, vfprintf, vprintf, vsnprintf, vsprintf ? format output of a stdarg argument list

SYNOPSIS

```
#include <stdarg.h>

#include <stdio.h>

int vdprintf(int fd, const char *restrict format, va_list ap);

int vfprintf(FILE *restrict stream, const char *restrict format,
             va_list ap);

int vprintf(const char *restrict format, va_list ap);

int vsnprintf(char *restrict s, size_t n, const char *restrict format,
             va_list ap);

int vsprintf(char *restrict s, const char *restrict format, va_list ap);
```

DESCRIPTION

The functionality described on this reference page is aligned with the ISO C standard. Any conflict between the requirements described here and the ISO C standard is unintentional. This volume of POSIX.1-2017

defers to the ISO C standard.

The `vdprintf()`, `vfprintf()`, `vprintf()`, `vsnprintf()`, and `vsprintf()` functions shall be equivalent to the `dprintf()`, `fprintf()`, `printf()`, `snprintf()`, and `sprintf()` functions respectively, except that instead of being called with a variable number of arguments, they are called with an argument list as defined by `<stdarg.h>`.

These functions shall not invoke the `va_end` macro. As these functions invoke the `va_arg` macro, the value of `ap` after the return is unspecified.

RETURN VALUE

Refer to `fprintf()`.

ERRORS

Refer to `fprintf()`.

The following sections are informative.

EXAMPLES

None.

APPLICATION USAGE

Applications using these functions should call `va_end(ap)` afterwards to clean up.

RATIONALE

None.

FUTURE DIRECTIONS

None.

SEE ALSO

Section 2.5, Standard I/O Streams, `fprintf()`

The Base Definitions volume of POSIX.1-2017, `<stdarg.h>`, `<stdio.h>`

COPYRIGHT

Portions of this text are reprinted and reproduced in electronic form from IEEE Std 1003.1-2017, Standard for Information Technology -- Portable Operating System Interface (POSIX), The Open Group Base Specifications Issue 7, 2018 Edition, Copyright (C) 2018 by the Institute of Electrical and Electronics Engineers, Inc and The Open Group. In the event of any discrepancy between this version and the original IEEE and

The Open Group Standard, the original IEEE and The Open Group Standard is the referee document. The original Standard can be obtained online at <http://www.opengroup.org/unix/online.html> .

Any typographical or formatting errors that appear in this page are most likely to have been introduced during the conversion of the source files to man page format. To report such errors, see https://www.kernel.org/doc/man-pages/reporting_bugs.html .