



Red Hat Enterprise Linux Release 9.2 Manual Pages on 'wcsncat.3p' command

\$ man wcsncat.3p

WCSNCAT(3P) POSIX Programmer's Manual WCSNCAT(3P)

PROLOG

This manual page is part of the POSIX Programmer's Manual. The Linux implementation of this interface may differ (consult the corresponding Linux manual page for details of Linux behavior), or the interface may not be implemented on Linux.

NAME

wcsncat ? concatenate a wide-character string with part of another

SYNOPSIS

```
#include <wchar.h>

wchar_t *wcsncat(wchar_t *restrict ws1, const wchar_t *restrict ws2,
                 size_t n);
```

DESCRIPTION

The functionality described on this reference page is aligned with the ISO C standard. Any conflict between the requirements described here and the ISO C standard is unintentional. This volume of POSIX.1?2017 defers to the ISO C standard.

The `wcsncat()` function shall append not more than `n` wide-character codes (a null wide-character code and wide-character codes that follow it are not appended) from the array pointed to by `ws2` to the end of the wide-character string pointed to by `ws1`. The initial wide-character code of `ws2` shall overwrite the null wide-character code at the end of `ws1`. A terminating null wide-character code shall always be appended

to the result. If copying takes place between objects that overlap, the behavior is undefined.

RETURN VALUE

The `wcsncat()` function shall return `ws1`; no return value is reserved to indicate an error.

ERRORS

No errors are defined.

The following sections are informative.

EXAMPLES

None.

APPLICATION USAGE

None.

RATIONALE

None.

FUTURE DIRECTIONS

None.

SEE ALSO

`wcscat()`

The Base Definitions volume of POSIX.1-2017, `<wchar.h>`

COPYRIGHT

Portions of this text are reprinted and reproduced in electronic form from IEEE Std 1003.1-2017, Standard for Information Technology -- Portable Operating System Interface (POSIX), The Open Group Base Specifications Issue 7, 2018 Edition, Copyright (C) 2018 by the Institute of Electrical and Electronics Engineers, Inc and The Open Group. In the event of any discrepancy between this version and the original IEEE and The Open Group Standard, the original IEEE and The Open Group Standard is the referee document. The original Standard can be obtained online at <http://www.opengroup.org/unix/online.html>.

Any typographical or formatting errors that appear in this page are most likely to have been introduced during the conversion of the source files to man page format. To report such errors, see https://www.kernel.org/doc/man-pages/reporting_bugs.html.

