



Red Hat Enterprise Linux Release 9.2 Manual Pages on 'wcpbrk.3' command

\$ man wcpbrk.3

WCSPBRK(3) Linux Programmer's Manual WCSPBRK(3)

NAME

wcpbrk - search a wide-character string for any of a set of wide char?
acters

SYNOPSIS

```
#include <wchar.h>

wchar_t *wcpbrk(const wchar_t *wcs, const wchar_t *accept);
```

DESCRIPTION

The wcpbrk() function is the wide-character equivalent of the strpbrk(3) function. It searches for the first occurrence in the wide-character string pointed to by wcs of any of the characters in the wide-character string pointed to by accept.

RETURN VALUE

The wcpbrk() function returns a pointer to the first occurrence in wcs of any of the characters listed in accept. If wcs contains none of these characters, NULL is returned.

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

??

?Interface ? Attribute ? Value ?

??

?wcpbrk() ? Thread safety ? MT-Safe ?

??

CONFORMING TO

POSIX.1-2001, POSIX.1-2008, C99.

SEE ALSO

strpbrk(3), wcschr(3), wcscspn(3)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU	2015-08-08	WCSPBRK(3)
-----	------------	------------