



Rocky Enterprise Linux 9.2 Manual Pages on command 'a2enmod.8'

C:\>man a2enmod.8

A2ENMOD(8) System Manager's Manual A2ENMOD(8)

NAME

a2enmod, a2dismod - enable or disable an apache2 module

SYNOPSIS

a2enmod [[-q|--quiet] module]

a2dismod [[-q|--quiet] module]

DESCRIPTION

This manual page documents briefly the a2enmod and a2dismod commands.

a2enmod is a script that enables the specified module within the apache2 configuration. It does this by creating symlinks within `/etc/apache2/mods-enabled`. Likewise, a2dismod disables a module by removing those symlinks. It is not an error to enable a module which is already enabled, or to disable one which is already disabled.

Note that many modules have, in addition to a `.load` file, an associated `.conf` file.

Enabling the module puts the configuration directives in the `.conf` file as directives into the main server context of apache2.

OPTIONS

`-q, --quiet`

Don't show informative messages.

`-m, --maintmode`

Enables the maintainer mode, that is the program invocation is effectuated automatically by a maintainer script. This switch should not be used by end

users.

-p, --purge

When disabling a module, purge all traces of the module in the internal state data base.

EXIT STATUS

a2enmod and a2dismod exit with status 0 if all modules are processed successfully, 1 if errors occur, 2 if an invalid option was used.

EXAMPLES

```
a2enmod imagemap
```

```
a2dismod mime_magic
```

Enables the mod_imagemap module, and disables the mod_mime_magic module.

FILES

```
/etc/apache2/mods-available
```

Directory with files giving information on available modules.

```
/etc/apache2/mods-enabled
```

Directory with links to the files in mods-available for enabled modules.

SEE ALSO

apache2ctl(8), a2enconf(8), a2disconf(8).

AUTHOR

This manual page was written by Daniel Stone <daniel@sfarc.net> for the Debian GNU/Linux distribution, as it is a Debian-specific script with the package.

12 October 2006

A2ENMOD(8)