



## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'aa-enabled.1'***

**C:\>man aa-enabled.1**

AA-ENABLED(1)                      AppArmor                      AA-ENABLED(1)

### NAME

aa-enabled - test whether AppArmor is enabled

### SYNOPSIS

aa-enabled [options]

### DESCRIPTION

aa-enabled is used to determine if AppArmor is enabled.

### OPTIONS

aa-enabled accepts the following arguments:

-h, --help

Display a brief usage guide.

-q, --quiet

Do not output anything to stdout. This option is intended to be used by scripts that simply want to use the exit code to determine if AppArmor is enabled.

### EXIT STATUS

Upon exiting, aa-enabled will set its exit status to the following values:

- 0 if AppArmor is enabled.
- 1 if AppArmor is not enabled/loaded.
- 2 intentionally not used as an aa-enabled exit status.
- 3 if the AppArmor control files aren't available under `/sys/kernel/security/`.
- 4 if aa-enabled doesn't have enough privileges to read the apparmor control files.
- 64 if any unexpected error or condition is encountered.

## BUGS

If you find any bugs, please report them at  
<<https://bugs.launchpad.net/apparmor/+filebug>>.

## SEE ALSO

`apparmor(7)`, `apparmor.d(5)`, `aa_is_enabled(2)`, and <<https://wiki.apparmor.net>>.