



*Full credit is given to the above companies including the OS that this PDF file was generated!*

***Rocky Enterprise Linux 9.2 Manual Pages on command 'BIO\_ssl\_copy\_session\_id.3ossl'***

***\$ man BIO\_ssl\_copy\_session\_id.3ossl***

BIO\_F\_SSL(3ossl)                    OpenSSL                    BIO\_F\_SSL(3ossl)

NAME

BIO\_do\_handshake, BIO\_f\_ssl, BIO\_set\_ssl, BIO\_get\_ssl,  
BIO\_set\_ssl\_mode, BIO\_set\_ssl\_renegotiate\_bytes,  
BIO\_get\_num\_renegotiates, BIO\_set\_ssl\_renegotiate\_timeout, BIO\_new\_ssl,  
BIO\_new\_ssl\_connect, BIO\_new\_buffer\_ssl\_connect,  
BIO\_ssl\_copy\_session\_id, BIO\_ssl\_shutdown - SSL BIO

SYNOPSIS

```
#include <openssl/bio.h>
#include <openssl/ssl.h>

const BIO_METHOD *BIO_f_ssl(void);

long BIO_set_ssl(BIO *b, SSL *ssl, long c);

long BIO_get_ssl(BIO *b, SSL **sslp);

long BIO_set_ssl_mode(BIO *b, long client);

long BIO_set_ssl_renegotiate_bytes(BIO *b, long num);

long BIO_set_ssl_renegotiate_timeout(BIO *b, long seconds);

long BIO_get_num_renegotiates(BIO *b);

BIO *BIO_new_ssl(SSL_CTX *ctx, int client);
```

```
BIO *BIO_new_ssl_connect(SSL_CTX *ctx);
BIO *BIO_new_buffer_ssl_connect(SSL_CTX *ctx);
int BIO_ssl_copy_session_id(BIO *to, BIO *from);
void BIO_ssl_shutdown(BIO *bio);
long BIO_do_handshake(BIO *b);
```

## DESCRIPTION

BIO\_f\_ssl() returns the SSL BIO method. This is a filter BIO which is a wrapper round the OpenSSL SSL routines adding a BIO "flavour" to SSL I/O.

I/O performed on an SSL BIO communicates using the SSL protocol with the SSLs read and write BIOs. If an SSL connection is not established then an attempt is made to establish one on the first I/O call.

If a BIO is appended to an SSL BIO using BIO\_push() it is automatically used as the SSL BIOs read and write BIOs.

Calling BIO\_reset() on an SSL BIO closes down any current SSL connection by calling SSL\_shutdown(). BIO\_reset() is then sent to the next BIO in the chain: this will typically disconnect the underlying transport. The SSL BIO is then reset to the initial accept or connect state.

If the close flag is set when an SSL BIO is freed then the internal SSL structure is also freed using SSL\_free().

BIO\_set\_ssl() sets the internal SSL pointer of SSL BIO b to ssl using the close flag c.

BIO\_get\_ssl() retrieves the SSL pointer of SSL BIO b, it can then be manipulated using the standard SSL library functions.

BIO\_set\_ssl\_mode() sets the SSL BIO mode to client. If client is 1 client mode is set. If client is 0 server mode is set.

BIO\_set\_ssl\_renegotiate\_bytes() sets the renegotiate byte count of SSL BIO b to num. When set after every num bytes of I/O (read and write) the SSL session is automatically renegotiated. num must be at least 512 bytes.

BIO\_set\_ssl\_renegotiate\_timeout() sets the renegotiate timeout of SSL BIO b to seconds. When the renegotiate timeout elapses the session is

automatically renegotiated.

BIO\_get\_num\_renegotiates() returns the total number of session renegotiations due to I/O or timeout of SSL BIO b.

BIO\_new\_ssl() allocates an SSL BIO using SSL\_CTX ctx and using client mode if client is non zero.

BIO\_new\_ssl\_connect() creates a new BIO chain consisting of an SSL BIO (using ctx) followed by a connect BIO.

BIO\_new\_buffer\_ssl\_connect() creates a new BIO chain consisting of a buffering BIO, an SSL BIO (using ctx), and a connect BIO.

BIO\_ssl\_copy\_session\_id() copies an SSL session id between BIO chains from and to. It does this by locating the SSL BIOs in each chain and calling SSL\_copy\_session\_id() on the internal SSL pointer.

BIO\_ssl\_shutdown() closes down an SSL connection on BIO chain bio. It does this by locating the SSL BIO in the chain and calling SSL\_shutdown() on its internal SSL pointer.

BIO\_do\_handshake() attempts to complete an SSL handshake on the supplied BIO and establish the SSL connection. For non-SSL BIOs the connection is done typically at TCP level. If domain name resolution yields multiple IP addresses all of them are tried after connect() failures. The function returns 1 if the connection was established successfully. A zero or negative value is returned if the connection could not be established. The call BIO\_should\_retry() should be used for nonblocking connect BIOs to determine if the call should be retried. If a connection has already been established this call has no effect.

## NOTES

SSL BIOs are exceptional in that if the underlying transport is non blocking they can still request a retry in exceptional circumstances. Specifically this will happen if a session renegotiation takes place during a BIO\_read\_ex() operation, one case where this happens is when step up occurs.

The SSL flag SSL\_AUTO\_RETRY can be set to disable this behaviour. That is when this flag is set an SSL BIO using a blocking transport will

never request a retry.

Since unknown BIO\_ctrl() operations are sent through filter BIOs the servers name and port can be set using BIO\_set\_host() on the BIO returned by BIO\_new\_ssl\_connect() without having to locate the connect BIO first.

Applications do not have to call BIO\_do\_handshake() but may wish to do so to separate the handshake process from other I/O processing.

BIO\_set\_ssl(), BIO\_get\_ssl(), BIO\_set\_ssl\_mode(),  
BIO\_set\_ssl\_renegotiate\_bytes(), BIO\_set\_ssl\_renegotiate\_timeout(),  
BIO\_get\_num\_renegotiates(), and BIO\_do\_handshake() are implemented as macros.

## RETURN VALUES

BIO\_f\_ssl() returns the SSL BIO\_METHOD structure.

BIO\_set\_ssl(), BIO\_get\_ssl(), BIO\_set\_ssl\_mode(),  
BIO\_set\_ssl\_renegotiate\_bytes(), BIO\_set\_ssl\_renegotiate\_timeout() and  
BIO\_get\_num\_renegotiates() return 1 on success or a value which is less than or equal to 0 if an error occurred.

BIO\_new\_ssl(), BIO\_new\_ssl\_connect() and BIO\_new\_buffer\_ssl\_connect() return a valid BIO structure on success or NULL if an error occurred.

BIO\_ssl\_copy\_session\_id() returns 1 on success or 0 on error.

BIO\_do\_handshake() returns 1 if the connection was established successfully. A zero or negative value is returned if the connection could not be established.

## EXAMPLES

This SSL/TLS client example attempts to retrieve a page from an SSL/TLS web server. The I/O routines are identical to those of the unencrypted example in BIO\_s\_connect(3).

```
BIO *sbio, *out;  
  
int len;  
  
char tmpbuf[1024];  
  
SSL_CTX *ctx;  
  
SSL *ssl;  
  
/* XXX Seed the PRNG if needed. */
```

```

ctx = SSL_CTX_new(TLS_client_method());
/* XXX Set verify paths and mode here. */
sbio = BIO_new_ssl_connect(ctx);
BIO_get_ssl(sbio, &ssl);
if (ssl == NULL) {
    fprintf(stderr, "Can't locate SSL pointer\n");
    ERR_print_errors_fp(stderr);
    exit(1);
}
/* XXX We might want to do other things with ssl here */
/* An empty host part means the loopback address */
BIO_set_conn_hostname(sbio, ":https");
out = BIO_new_fp(stdout, BIO_NOCLOSE);
if (BIO_do_connect(sbio) <= 0) {
    fprintf(stderr, "Error connecting to server\n");
    ERR_print_errors_fp(stderr);
    exit(1);
}
/* XXX Could examine ssl here to get connection info */
BIO_puts(sbio, "GET / HTTP/1.0\n\n");
for (;;) {
    len = BIO_read(sbio, tmpbuf, 1024);
    if (len <= 0)
        break;
    BIO_write(out, tmpbuf, len);
}
BIO_free_all(sbio);
BIO_free(out);

```

Here is a simple server example. It makes use of a buffering BIO to allow lines to be read from the SSL BIO using BIO\_gets. It creates a pseudo web page containing the actual request from a client and also echoes the request to standard output.

```
BIO *sbio, *bbio, *acpt, *out;
```

```

int len;

char tmpbuf[1024];

SSL_CTX *ctx;

SSL *ssl;

/* XXX Seed the PRNG if needed. */

ctx = SSL_CTX_new(TLS_server_method());

if (!SSL_CTX_use_certificate_file(ctx, "server.pem", SSL_FILETYPE_PEM)
    || !SSL_CTX_use_PrivateKey_file(ctx, "server.pem", SSL_FILETYPE_PEM)
    || !SSL_CTX_check_private_key(ctx)) {
    fprintf(stderr, "Error setting up SSL_CTX\n");
    ERR_print_errors_fp(stderr);
    exit(1);
}

/* XXX Other things like set verify locations, EDH temp callbacks. */

/* New SSL BIO setup as server */

sbio = BIO_new_ssl(ctx, 0);

BIO_get_ssl(sbio, &ssl);

if (ssl == NULL) {
    fprintf(stderr, "Can't locate SSL pointer\n");
    ERR_print_errors_fp(stderr);
    exit(1);
}

bbio = BIO_new(BIO_f_buffer());

sbio = BIO_push(bbio, sbio);

acpt = BIO_new_accept("4433");

/*
 * By doing this when a new connection is established
 * we automatically have sbio inserted into it. The
 * BIO chain is now 'swallowed' by the accept BIO and
 * will be freed when the accept BIO is freed.
 */

BIO_set_accept_bios(acpt, sbio);

out = BIO_new_fp(stdout, BIO_NOCLOSE);

```

```

/* First call to BIO_do_accept() sets up accept BIO */
if (BIO_do_accept(acpt) <= 0) {
    fprintf(stderr, "Error setting up accept BIO\n");
    ERR_print_errors_fp(stderr);
    exit(1);
}

/* Second call to BIO_do_accept() waits for incoming connection */
if (BIO_do_accept(acpt) <= 0) {
    fprintf(stderr, "Error accepting connection\n");
    ERR_print_errors_fp(stderr);
    exit(1);
}

/* We only want one connection so remove and free accept BIO */
sbio = BIO_pop(acpt);
BIO_free_all(acpt);
if (BIO_do_handshake(sbio) <= 0) {
    fprintf(stderr, "Error in SSL handshake\n");
    ERR_print_errors_fp(stderr);
    exit(1);
}
BIO_puts(sbio, "HTTP/1.0 200 OK\r\nContent-type: text/plain\r\n\r\n");
BIO_puts(sbio, "\r\nConnection Established\r\nRequest headers:\r\n");
BIO_puts(sbio, "-----\r\n");
for (;;) {
    len = BIO_gets(sbio, tmpbuf, 1024);
    if (len <= 0)
        break;
    BIO_write(sbio, tmpbuf, len);
    BIO_write(out, tmpbuf, len);
    /* Look for blank line signifying end of headers*/
    if (tmpbuf[0] == '\r' || tmpbuf[0] == '\n')
        break;
}

```

```
BIO_puts(sbio, "-----\r\n");  
BIO_puts(sbio, "\r\n");  
BIO_flush(sbio);  
BIO_free_all(sbio);
```

## HISTORY

In OpenSSL before 1.0.0 the `BIO_pop()` call was handled incorrectly, the I/O BIO reference count was incorrectly incremented (instead of decremented) and dissociated with the SSL BIO even if the SSL BIO was not explicitly being popped (e.g. a pop higher up the chain).

Applications which included workarounds for this bug (e.g. freeing BIOs more than once) should be modified to handle this fix or they may free up an already freed BIO.

## COPYRIGHT

Copyright 2000-2022 The OpenSSL Project Authors. All Rights Reserved.  
Licensed under the Apache License 2.0 (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file LICENSE in the source distribution or at <https://www.openssl.org/source/license.html>.

3.0.7                    2023-07-13                    BIO\_F\_SSL(3ossl)