



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'CMS_get1_ReceiptRequest.3ossl'

\$ man CMS_get1_ReceiptRequest.3ossl

CMS_GET1_RECEIPTREQUEST(3ossl) OpenSSL CMS_GET1_RECEIPTREQUEST(3ossl)

NAME

CMS_ReceiptRequest_create0_ex, CMS_ReceiptRequest_create0,
CMS_add1_ReceiptRequest, CMS_get1_ReceiptRequest,
CMS_ReceiptRequest_get0_values - CMS signed receipt request functions

SYNOPSIS

```
#include <openssl/cms.h>
```

```
CMS_ReceiptRequest *CMS_ReceiptRequest_create0_ex(  
    unsigned char *id, int idlen, int allorfirst,  
    STACK_OF(GENERAL_NAMES) *receiptList, STACK_OF(GENERAL_NAMES) *receiptsTo,  
    OSSL_LIB_CTX *libctx);  
CMS_ReceiptRequest *CMS_ReceiptRequest_create0(  
    unsigned char *id, int idlen, int allorfirst,  
    STACK_OF(GENERAL_NAMES) *receiptList, STACK_OF(GENERAL_NAMES) *receiptsTo);  
int CMS_add1_ReceiptRequest(CMS_SignerInfo *si, CMS_ReceiptRequest *rr);
```

```
int CMS_get1_ReceiptRequest(CMS_SignerInfo *si, CMS_ReceiptRequest **pr);  
void CMS_ReceiptRequest_get0_values(CMS_ReceiptRequest *rr, ASN1_STRING **pcid,  
    int *pallorfirst,  
    STACK_OF(GENERAL_NAMES) **plist,  
    STACK_OF(GENERAL_NAMES) **prto);
```

DESCRIPTION

CMS_ReceiptRequest_create0_ex() creates a signed receipt request structure. The signedContentIdentifier field is set using id and idlen, or it is set to 32 bytes of pseudo random data if id is NULL. If receiptList is NULL the allOrFirstTier option in receiptsFrom is used and set to the value of the allorfirst parameter. If receiptList is not NULL the receiptList option in receiptsFrom is used. The receiptsTo parameter specifies the receiptsTo field value. The library context libctx is used to find the public random generator.

CMS_ReceiptRequest_create0() is similar to CMS_ReceiptRequest_create0_ex() but uses default values of NULL for the library context libctx.

The CMS_add1_ReceiptRequest() function adds a signed receipt request rr to SignerInfo structure si.

int CMS_get1_ReceiptRequest() looks for a signed receipt request in si, if any is found it is decoded and written to prr.

CMS_ReceiptRequest_get0_values() retrieves the values of a receipt request. The signedContentIdentifier is copied to pcid. If the allOrFirstTier option of receiptsFrom is used its value is copied to pallorfirst otherwise the receiptList field is copied to plist. The receiptsTo parameter is copied to prto.

For more details of the meaning of the fields see RFC2634.

The contents of a signed receipt should only be considered meaningful if the corresponding CMS_ContentInfo structure can be successfully verified using CMS_verify().

RETURN VALUES

CMS_ReceiptRequest_create0_ex() and CMS_ReceiptRequest_create0() return a signed receipt request structure or NULL if an error occurred.

CMS_add1_ReceiptRequest() returns 1 for success or 0 if an error occurred.

CMS_get1_ReceiptRequest() returns 1 if a signed receipt request is found and decoded. It returns 0 if a signed receipt request is not present and -1 if it is present but malformed.

SEE ALSO

ERR_get_error(3), CMS_sign(3), CMS_sign_receipt(3), CMS_verify(3)
CMS_verify_receipt(3)

HISTORY

The function CMS_ReceiptRequest_create0_ex() was added in OpenSSL 3.0.

COPYRIGHT

Copyright 2008-2021 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file LICENSE in the source distribution or at <https://www.openssl.org/source/license.html>.