



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'DSA_new.3ossl'

\$ man DSA_new.3ossl

DSA_NEW(3ossl) OpenSSL DSA_NEW(3ossl)

NAME

DSA_new, DSA_free - allocate and free DSA objects

SYNOPSIS

```
#include <openssl/dsa.h>
```

The following functions have been deprecated since OpenSSL 3.0, and can be hidden entirely by defining OPENSSL_API_COMPAT with a suitable version value, see openssl_user_macros(7):

```
DSA* DSA_new(void);
```

```
void DSA_free(DSA *dsa);
```

DESCRIPTION

All of the functions described on this page are deprecated.

Applications should instead use `EVP_PKEY_new(3)` and `EVP_PKEY_free(3)`.

`DSA_new()` allocates and initializes a DSA structure. It is equivalent to calling `DSA_new_method(NULL)`.

`DSA_free()` frees the DSA structure and its components. The values are erased before the memory is returned to the system. If `dsa` is `NULL` nothing is done.

RETURN VALUES

If the allocation fails, `DSA_new()` returns `NULL` and sets an error code that can be obtained by `ERR_get_error(3)`. Otherwise it returns a pointer to the newly allocated structure.

`DSA_free()` returns no value.

SEE ALSO

`EVP_PKEY_new(3)`, `EVP_PKEY_free(3)`, `DSA_new(3)`, `ERR_get_error(3)`,
`DSA_generate_parameters(3)`, `DSA_generate_key(3)`

HISTORY

All of these functions were deprecated in OpenSSL 3.0.

COPYRIGHT

Copyright 2000-2021 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file `LICENSE` in the source distribution or at <https://www.openssl.org/source/license.html>.