



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'ERR_FATAL_ERROR.3ossl'

\$ man ERR_FATAL_ERROR.3ossl

ERR_GET_LIB(3ossl) OpenSSL ERR_GET_LIB(3ossl)

NAME

ERR_GET_LIB, ERR_GET_REASON, ERR_FATAL_ERROR - get information from error codes

SYNOPSIS

```
#include <openssl/err.h>
```

```
int ERR_GET_LIB(unsigned long e);
```

```
int ERR_GET_REASON(unsigned long e);
```

```
int ERR_FATAL_ERROR(unsigned long e);
```

DESCRIPTION

The error code returned by ERR_get_error() consists of a library number and reason code. ERR_GET_LIB() and ERR_GET_REASON() can be used to

extract these.

`ERR_FATAL_ERROR()` indicates whether a given error code is a fatal error.

The library number describes where the error occurred, the reason code is the information about what went wrong.

Each sub-library of OpenSSL has a unique library number; the reason code is unique within each sub-library. Note that different libraries may use the same value to signal different reasons.

`ERR_R_...` reason codes such as `ERR_R_MALLOC_FAILURE` are globally unique. However, when checking for sub-library specific reason codes, be sure to also compare the library number.

`ERR_GET_LIB()`, `ERR_GET_REASON()`, and `ERR_FATAL_ERROR()` are macros.

RETURN VALUES

The library number, reason code, and whether the error is fatal, respectively. Starting with OpenSSL 3.0.0, the function code is always set to zero.

SEE ALSO

`ERR_get_error(3)`

HISTORY

`ERR_GET_LIB()` and `ERR_GET_REASON()` are available in all versions of OpenSSL.

`ERR_GET_FUNC()` was removed in OpenSSL 3.0.

Copyright 2000-2021 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file LICENSE in the source distribution or at <https://www.openssl.org/source/license.html>.

3.0.7 2023-07-13 ERR_GET_LIB(3ossl)