



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'EVP_md4.3oss1'

\$ man EVP_md4.3oss1

EVP_MD4(3oss1) OpenSSL EVP_MD4(3oss1)

NAME

EVP_md4 - MD4 For EVP

SYNOPSIS

```
#include <openssl/evp.h>
```

```
const EVP_MD *EVP_md4(void);
```

DESCRIPTION

MD4 is a cryptographic hash function standardized in RFC 1320 and designed by Ronald Rivest, first published in 1990. This implementation is only available with the legacy provider.

EVP_md4()

The MD4 algorithm which produces a 128-bit output from a given input.

RETURN VALUES

These functions return a `EVP_MD` structure that contains the implementation of the message digest. See `EVP_MD_meth_new(3)` for details of the `EVP_MD` structure.

CONFORMING TO

IETF RFC 1320.

SEE ALSO

`evp(7)`, `provider(7)`, `EVP_DigestInit(3)`

COPYRIGHT

Copyright 2017-2022 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file `LICENSE` in the source distribution or at <https://www.openssl.org/source/license.html>.

3.0.7

2023-07-13

`EVP_MD4(3openssl)`