



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'OSSL_STORE_LOADER_set_error.3ossl'

\$ man OSSL_STORE_LOADER_set_error.3ossl

OSSL_STORE_LOADER(3ossl) OpenSSL OSSL_STORE_LOADER(3ossl)

NAME

OSSL_STORE_LOADER, OSSL_STORE_LOADER_fetch, OSSL_STORE_LOADER_up_ref,
OSSL_STORE_LOADER_free, OSSL_STORE_LOADER_get0_provider,
OSSL_STORE_LOADER_get0_properties, OSSL_STORE_LOADER_is_a,
OSSL_STORE_LOADER_get0_description, OSSL_STORE_LOADER_do_all_provided,
OSSL_STORE_LOADER_names_do_all, OSSL_STORE_LOADER_CTX,
OSSL_STORE_LOADER_new, OSSL_STORE_LOADER_get0_engine,
OSSL_STORE_LOADER_get0_scheme, OSSL_STORE_LOADER_set_open,
OSSL_STORE_LOADER_set_open_ex, OSSL_STORE_LOADER_set_attach,
OSSL_STORE_LOADER_set_ctrl, OSSL_STORE_LOADER_set_expect,
OSSL_STORE_LOADER_set_find, OSSL_STORE_LOADER_set_load,
OSSL_STORE_LOADER_set_eof, OSSL_STORE_LOADER_set_error,
OSSL_STORE_LOADER_set_close, OSSL_STORE_register_loader,
OSSL_STORE_unregister_loader, OSSL_STORE_open_fn,
OSSL_STORE_open_ex_fn, OSSL_STORE_attach_fn, OSSL_STORE_ctrl_fn,
OSSL_STORE_expect_fn, OSSL_STORE_find_fn, OSSL_STORE_load_fn,
OSSL_STORE_eof_fn, OSSL_STORE_error_fn, OSSL_STORE_close_fn - Types and

functions to manipulate, register and unregister STORE loaders for different URI schemes

SYNOPSIS

```
#include <openssl/store.h>

typedef struct ossl_store_loader_st OSSL_STORE_LOADER;

OSSL_STORE_LOADER *OSSL_STORE_LOADER_fetch(OSSL_LIB_CTX *libctx,
      const char *scheme,
      const char *properties);

int OSSL_STORE_LOADER_up_ref(OSSL_STORE_LOADER *loader);

void OSSL_STORE_LOADER_free(OSSL_STORE_LOADER *loader);

const OSSL_PROVIDER *OSSL_STORE_LOADER_get0_provider(const OSSL_STORE_LOADER *
      loader);

const char *OSSL_STORE_LOADER_get0_properties(const OSSL_STORE_LOADER *loader);

const char *OSSL_STORE_LOADER_get0_description(const OSSL_STORE_LOADER *loader);

int OSSL_STORE_LOADER_is_a(const OSSL_STORE_LOADER *loader,
      const char *scheme);

void OSSL_STORE_LOADER_do_all_provided(OSSL_LIB_CTX *libctx,
      void (*user_fn)(OSSL_STORE_LOADER *loader,
      void *arg),
      void *user_arg);

int OSSL_STORE_LOADER_names_do_all(const OSSL_STORE_LOADER *loader,
      void (*fn)(const char *name, void *data),
      void *data);
```

The following functions have been deprecated since OpenSSL 3.0, and can be hidden entirely by defining `OPENSSL_API_COMPAT` with a suitable version value, see `openssl_user_macros(7)`:

```
OSSL_STORE_LOADER *OSSL_STORE_LOADER_new(ENGINE *e, const char *scheme);

const ENGINE *OSSL_STORE_LOADER_get0_engine(const OSSL_STORE_LOADER
      *store_loader);

const char *OSSL_STORE_LOADER_get0_scheme(const OSSL_STORE_LOADER
      *store_loader);

/* struct ossl_store_loader_ctx_st is defined differently by each loader */

typedef struct ossl_store_loader_ctx_st OSSL_STORE_LOADER_CTX;
```

```

typedef OSSL_STORE_LOADER_CTX>(*OSSL_STORE_open_fn)(
    const char *uri, const UI_METHOD *ui_method, void *ui_data);
int OSSL_STORE_LOADER_set_open(OSSL_STORE_LOADER *store_loader,
    OSSL_STORE_open_fn store_open_function);
typedef OSSL_STORE_LOADER_CTX>(*OSSL_STORE_open_ex_fn)(
    const char *uri, const UI_METHOD *ui_method, void *ui_data);
int OSSL_STORE_LOADER_set_open_ex
(OSSL_STORE_LOADER *store_loader,
    OSSL_STORE_open_ex_fn store_open_ex_function);
typedef OSSL_STORE_LOADER_CTX>(*OSSL_STORE_attach_fn)
(const OSSL_STORE_LOADER *loader, BIO *bio,
    OSSL_LIB_CTX *libctx, const char *propq,
    const UI_METHOD *ui_method, void *ui_data);
int OSSL_STORE_LOADER_set_attach(OSSL_STORE_LOADER *loader,
    OSSL_STORE_attach_fn attach_function);
typedef int(*OSSL_STORE_ctrl_fn)(OSSL_STORE_LOADER_CTX *ctx, int cmd,
    va_list args);
int OSSL_STORE_LOADER_set_ctrl(OSSL_STORE_LOADER *store_loader,
    OSSL_STORE_ctrl_fn store_ctrl_function);
typedef int(*OSSL_STORE_expect_fn)(OSSL_STORE_LOADER_CTX *ctx, int expected);
int OSSL_STORE_LOADER_set_expect(OSSL_STORE_LOADER *loader,
    OSSL_STORE_expect_fn expect_function);
typedef int(*OSSL_STORE_find_fn)(OSSL_STORE_LOADER_CTX *ctx,
    OSSL_STORE_SEARCH *criteria);
int OSSL_STORE_LOADER_set_find(OSSL_STORE_LOADER *loader,
    OSSL_STORE_find_fn find_function);
typedef OSSL_STORE_INFO>(*OSSL_STORE_load_fn)(OSSL_STORE_LOADER_CTX *ctx,
    UI_METHOD *ui_method,
    void *ui_data);
int OSSL_STORE_LOADER_set_load(OSSL_STORE_LOADER *store_loader,
    OSSL_STORE_load_fn store_load_function);
typedef int(*OSSL_STORE_eof_fn)(OSSL_STORE_LOADER_CTX *ctx);
int OSSL_STORE_LOADER_set_eof(OSSL_STORE_LOADER *store_loader,

```

```

        OSSL_STORE_eof_fn store_eof_function);
typedef int (*OSSL_STORE_error_fn)(OSSL_STORE_LOADER_CTX *ctx);
int OSSL_STORE_LOADER_set_error(OSSL_STORE_LOADER *store_loader,
        OSSL_STORE_error_fn store_error_function);
typedef int (*OSSL_STORE_close_fn)(OSSL_STORE_LOADER_CTX *ctx);
int OSSL_STORE_LOADER_set_close(OSSL_STORE_LOADER *store_loader,
        OSSL_STORE_close_fn store_close_function);
void OSSL_STORE_LOADER_free(OSSL_STORE_LOADER *store_loader);
int OSSL_STORE_register_loader(OSSL_STORE_LOADER *loader);
OSSL_STORE_LOADER *OSSL_STORE_unregister_loader(const char *scheme);

```

DESCRIPTION

OSSL_STORE_LOADER is a method for OSSL_STORE loaders, which implement OSSL_STORE_open(), OSSL_STORE_open_ex(), OSSL_STORE_load(), OSSL_STORE_eof(), OSSL_STORE_error() and OSSL_STORE_close() for specific storage schemes.

OSSL_STORE_LOADER_fetch() looks for an implementation for a storage scheme within the providers that has been loaded into the OSSL_LIB_CTX given by libctx, and with the properties given by properties.

OSSL_STORE_LOADER_up_ref() increments the reference count for the given loader.

OSSL_STORE_LOADER_free() decrements the reference count for the given loader, and when the count reaches zero, frees it.

OSSL_STORE_LOADER_get0_provider() returns the provider of the given loader.

OSSL_STORE_LOADER_get0_properties() returns the property definition associated with the given loader.

OSSL_STORE_LOADER_is_a() checks if loader is an implementation of an algorithm that's identifiable with scheme.

OSSL_STORE_LOADER_get0_description() returns a description of the loader, meant for display and human consumption. The description is at the discretion of the loader implementation.

OSSL_STORE_LOADER_do_all_provided() traverses all store implementations by all activated providers in the library context libctx, and for each

of the implementations, calls `user_fn` with the implementation method and `user_arg` as arguments.

`OSSL_STORE_LOADER_names_do_all()` traverses all names for the given loader, and calls `fn` with each name and data.

Legacy Types and Functions (deprecated)

These functions help applications and engines to create loaders for schemes they support. These are all deprecated and discouraged in favour of provider implementations, see `provider-storemgmt(7)`.

`OSSL_STORE_LOADER_CTX` is a type template, to be defined by each loader using `"struct openssl_store_loader_ctx_st { ... }"`.

`OSSL_STORE_open_fn`, `OSSL_STORE_open_ex_fn`, `OSSL_STORE_ctrl_fn`, `OSSL_STORE_expect_fn`, `OSSL_STORE_find_fn`, `OSSL_STORE_load_fn`, `OSSL_STORE_eof_fn`, and `OSSL_STORE_close_fn` are the function pointer types used within a STORE loader. The functions pointed at define the functionality of the given loader.

`OSSL_STORE_open_fn` and `OSSL_STORE_open_ex_fn`

`OSSL_STORE_open_ex_fn` takes a URI and is expected to interpret it in the best manner possible according to the scheme the loader implements. It also takes a `UI_METHOD` and associated data, to be used any time something needs to be prompted for, as well as a library context `libctx` with an associated property query `propq`, to be used when fetching necessary algorithms to perform the loads.

Furthermore, this function is expected to initialize what needs to be initialized, to create a private data store (`OSSL_STORE_LOADER_CTX`, see above), and to return it. If something goes wrong, this function is expected to return `NULL`.

`OSSL_STORE_open_fn` does the same thing as `OSSL_STORE_open_ex_fn` but uses `NULL` for the library context `libctx` and property query `propq`.

`OSSL_STORE_attach_fn`

This function takes a `BIO`, otherwise works like

`OSSL_STORE_open_ex_fn`.

`OSSL_STORE_ctrl_fn`

This function takes a `OSSL_STORE_LOADER_CTX` pointer, a command

number cmd and a va_list args and is used to manipulate loader specific parameters.

Loader specific command numbers must begin at OSSL_STORE_C_CUSTOM_START. Any number below that is reserved for future globally known command numbers.

This function is expected to return 1 on success, 0 on error.

OSSL_STORE_expect_fn

This function takes a OSSL_STORE_LOADER_CTX pointer and a OSSL_STORE_INFO identity expected, and is used to tell the loader what object type is expected. expected may be zero to signify that no specific object type is expected.

This function is expected to return 1 on success, 0 on error.

OSSL_STORE_find_fn

This function takes a OSSL_STORE_LOADER_CTX pointer and a OSSL_STORE_SEARCH search criterion, and is used to tell the loader what to search for.

When called with the loader context being NULL, this function is expected to return 1 if the loader supports the criterion, otherwise 0.

When called with the loader context being something other than NULL, this function is expected to return 1 on success, 0 on error.

OSSL_STORE_load_fn

This function takes a OSSL_STORE_LOADER_CTX pointer and a UI_METHOD with associated data. It's expected to load the next available data, mold it into a data structure that can be wrapped in a OSSL_STORE_INFO using one of the OSSL_STORE_INFO(3) functions. If no more data is available or an error occurs, this function is expected to return NULL. The OSSL_STORE_eof_fn and OSSL_STORE_error_fn functions must indicate if it was in fact the end of data or if an error occurred.

Note that this function retrieves one data item only.

OSSL_STORE_eof_fn

This function takes a OSSL_STORE_LOADER_CTX pointer and is expected

to return 1 to indicate that the end of available data has been reached. It is otherwise expected to return 0.

OSSL_STORE_error_fn

This function takes a OSSL_STORE_LOADER_CTX pointer and is expected to return 1 to indicate that an error occurred in a previous call to the OSSL_STORE_load_fn function. It is otherwise expected to return 0.

OSSL_STORE_close_fn

This function takes a OSSL_STORE_LOADER_CTX pointer and is expected to close or shut down what needs to be closed, and finally free the contents of the OSSL_STORE_LOADER_CTX pointer. It returns 1 on success and 0 on error.

OSSL_STORE_LOADER_new() creates a new OSSL_STORE_LOADER. It takes an ENGINE e and a string scheme. scheme must always be set. Both e and scheme are used as is and must therefore be alive as long as the created loader is.

OSSL_STORE_LOADER_get0_engine() returns the engine of the store_loader.

OSSL_STORE_LOADER_get0_scheme() returns the scheme of the store_loader.

OSSL_STORE_LOADER_set_open() sets the opener function for the store_loader.

OSSL_STORE_LOADER_set_open_ex() sets the opener with library context function for the store_loader.

OSSL_STORE_LOADER_set_attach() sets the attacher function for the store_loader.

OSSL_STORE_LOADER_set_ctrl() sets the control function for the store_loader.

OSSL_STORE_LOADER_set_expect() sets the expect function for the store_loader.

OSSL_STORE_LOADER_set_load() sets the loader function for the store_loader.

OSSL_STORE_LOADER_set_eof() sets the end of file checker function for the store_loader.

OSSL_STORE_LOADER_set_close() sets the closing function for the

store_loader.

OSSL_STORE_LOADER_free() frees the given store_loader.

OSSL_STORE_register_loader() register the given store_loader and

thereby makes it available for use with OSSL_STORE_open(),

OSSL_STORE_open_ex(), OSSL_STORE_load(), OSSL_STORE_eof() and

OSSL_STORE_close().

OSSL_STORE_unregister_loader() unregister the store loader for the

given scheme.

RETURN VALUES

OSSL_STORE_LOADER_fetch() returns a pointer to an OSSL_STORE_LOADER

object, or NULL on error.

OSSL_STORE_LOADER_up_ref() returns 1 on success, or 0 on error.

OSSL_STORE_LOADER_names_do_all() returns 1 if the callback was called

for all names. A return value of 0 means that the callback was not

called for any names.

OSSL_STORE_LOADER_free() doesn't return any value.

OSSL_STORE_LOADER_get0_provider() returns a pointer to a provider

object, or NULL on error.

OSSL_STORE_LOADER_get0_properties() returns a pointer to a property

definition string, or NULL on error.

OSSL_STORE_LOADER_is_a() returns 1 if loader was identifiable,

otherwise 0.

OSSL_STORE_LOADER_get0_description() returns a pointer to a description,

or NULL if there isn't one.

The functions with the types OSSL_STORE_open_fn, OSSL_STORE_open_ex_fn,

OSSL_STORE_ctrl_fn, OSSL_STORE_expect_fn, OSSL_STORE_load_fn,

OSSL_STORE_eof_fn and OSSL_STORE_close_fn have the same return values

as OSSL_STORE_open(), OSSL_STORE_open_ex(), OSSL_STORE_ctrl(),

OSSL_STORE_expect(), OSSL_STORE_load(), OSSL_STORE_eof() and

OSSL_STORE_close(), respectively.

OSSL_STORE_LOADER_new() returns a pointer to a OSSL_STORE_LOADER on

success, or NULL on failure.

OSSL_STORE_LOADER_set_open(), OSSL_STORE_LOADER_set_open_ex(),

OSSL_STORE_LOADER_set_ctrl(), OSSL_STORE_LOADER_set_load(),
OSSL_STORE_LOADER_set_eof() and OSSL_STORE_LOADER_set_close() return 1
on success, or 0 on failure.

OSSL_STORE_register_loader() returns 1 on success, or 0 on failure.

OSSL_STORE_unregister_loader() returns the unregistered loader on
success, or NULL on failure.

SEE ALSO

ossl_store(7), OSSL_STORE_open(3), OSSL_LIB_CTX(3),
provider-storemgmt(7)

HISTORY

OSSL_STORE_LOADER_fetch(), OSSL_STORE_LOADER_up_ref(),
OSSL_STORE_LOADER_free(), OSSL_STORE_LOADER_get0_provider(),
OSSL_STORE_LOADER_get0_properties(), OSSL_STORE_LOADER_is_a(),
OSSL_STORE_LOADER_do_all_provided() and
OSSL_STORE_LOADER_names_do_all() were added in OpenSSL 3.0.
OSSL_STORE_open_ex_fn() was added in OpenSSL 3.0.
OSSL_STORE_LOADER, OSSL_STORE_LOADER_CTX, OSSL_STORE_LOADER_new(),
OSSL_STORE_LOADER_set0_scheme(), OSSL_STORE_LOADER_get0_scheme(),
OSSL_STORE_LOADER_get0_engine(), OSSL_STORE_LOADER_set_expect(),
OSSL_STORE_LOADER_set_find(), OSSL_STORE_LOADER_set_attach(),
OSSL_STORE_LOADER_set_open_ex(), OSSL_STORE_LOADER_set_open(),
OSSL_STORE_LOADER_set_ctrl(), OSSL_STORE_LOADER_set_load(),
OSSL_STORE_LOADER_set_eof(), OSSL_STORE_LOADER_set_close(),
OSSL_STORE_LOADER_free(), OSSL_STORE_register_loader(),
OSSL_STORE_LOADER_set_error(), OSSL_STORE_unregister_loader(),
OSSL_STORE_open_fn(), OSSL_STORE_ctrl_fn(), OSSL_STORE_load_fn(),
OSSL_STORE_eof_fn() and OSSL_STORE_close_fn() were added in OpenSSL
1.1.1, and became deprecated in OpenSSL 3.0.

COPYRIGHT

Copyright 2016-2021 The OpenSSL Project Authors. All Rights Reserved.
Licensed under the Apache License 2.0 (the "License"). You may not use
this file except in compliance with the License. You can obtain a copy
in the file LICENSE in the source distribution or at

<<https://www.openssl.org/source/license.html>>.

3.0.7

2023-07-13

OSSL_STORE_LOADER(3ossl)