



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'RSA_security_bits.3ossl'

\$ man RSA_security_bits.3ossl

RSA_SIZE(3ossl) OpenSSL RSA_SIZE(3ossl)

NAME

RSA_size, RSA_bits, RSA_security_bits - get RSA modulus size or security bits

SYNOPSIS

```
#include <openssl/rsa.h>
```

```
int RSA_bits(const RSA *rsa);
```

The following functions have been deprecated since OpenSSL 3.0, and can be hidden entirely by defining OPENSSL_API_COMPAT with a suitable version value, see openssl_user_macros(7):

```
int RSA_size(const RSA *rsa);
```

```
int RSA_security_bits(const RSA *rsa);
```

DESCRIPTION

`RSA_bits()` returns the number of significant bits.

`rsa` and `rsa->n` must not be `NULL`.

The remaining functions described on this page are deprecated.

Applications should instead use `EVP_PKEY_get_size(3)`,
`EVP_PKEY_get_bits(3)` and `EVP_PKEY_get_security_bits(3)`.

`RSA_size()` returns the RSA modulus size in bytes. It can be used to determine how much memory must be allocated for an RSA encrypted value.

`RSA_security_bits()` returns the number of security bits of the given `rsa` key. See `BN_security_bits(3)`.

RETURN VALUES

`RSA_bits()` returns the number of bits in the key.

`RSA_size()` returns the size of modulus in bytes.

`RSA_security_bits()` returns the number of security bits.

SEE ALSO

`BN_num_bits(3)`

HISTORY

The `RSA_size()` and `RSA_security_bits()` functions were deprecated in OpenSSL 3.0.

The `RSA_bits()` function was added in OpenSSL 1.1.0.

Copyright 2000-2021 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file LICENSE in the source distribution or at <https://www.openssl.org/source/license.html>.

3.0.7

2023-07-13

RSA_SIZE(3ossl)