



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'SSL_SESSION_set1_id_context.3ossl'

\$ man SSL_SESSION_set1_id_context.3ossl

SSL_SESSION_GET0_ID_CONTEXT(3ossl) OpenSSL SSL_SESSION_GET0_ID_CONTEXT(3ossl)

NAME

SSL_SESSION_get0_id_context, SSL_SESSION_set1_id_context - get and set the SSL ID context associated with a session

SYNOPSIS

```
#include <openssl/ssl.h>
```

```
const unsigned char *SSL_SESSION_get0_id_context(const SSL_SESSION *s,  
                                                unsigned int *len);
```

```
int SSL_SESSION_set1_id_context(SSL_SESSION *s, const unsigned char *sid_ctx,  
                               unsigned int sid_ctx_len);
```

DESCRIPTION

See SSL_CTX_set_session_id_context(3) for further details on session ID contexts.

SSL_SESSION_get0_id_context() returns the ID context associated with the SSL/TLS session *s*. The length of the ID context is written to **len* if *len* is not NULL.

The value returned is a pointer to an object maintained within *s* and should not be released.

SSL_SESSION_set1_id_context() takes a copy of the provided ID context given in *sid_ctx* and associates it with the session *s*. The length of the ID context is given by *sid_ctx_len* which must not exceed SSL_MAX_SID_CTX_LENGTH bytes.

RETURN VALUES

SSL_SESSION_set1_id_context() returns 1 on success or 0 on error.

SEE ALSO

ssl(7), SSL_set_session_id_context(3)

HISTORY

The SSL_SESSION_get0_id_context() function was added in OpenSSL 1.1.0.

COPYRIGHT

Copyright 2015-2020 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file LICENSE in the source distribution or at <https://www.openssl.org/source/license.html>.