



*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'SSL\_group\_to\_name.3ossl'***

***\$ man SSL\_group\_to\_name.3ossl***

SSL\_GROUP\_TO\_NAME(3ossl)      OpenSSL      SSL\_GROUP\_TO\_NAME(3ossl)

#### NAME

SSL\_group\_to\_name - get name of group

#### SYNOPSIS

```
#include <openssl/ssl.h>
```

```
const char *SSL_group_to_name(const SSL *ssl, int id);
```

#### DESCRIPTION

SSL\_group\_to\_name() is used to retrieve the TLS group name associated with a given TLS group ID, as registered via built-in or external providers and as returned by a call to SSL\_get1\_groups() or SSL\_get\_shared\_group().

#### RETURN VALUES

If non-NULL, SSL\_group\_to\_name() returns the TLS group name

corresponding to the given id as a NUL-terminated string. If `SSL_group_to_name()` returns NULL, an error occurred; possibly no corresponding `tlsname` was registered during provider initialisation.

Note that the return value is valid only during the lifetime of the SSL object `ssl`.

## SEE ALSO

`ssl(7)`

## COPYRIGHT

Copyright 2021 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file LICENSE in the source distribution or at <https://www.openssl.org/source/license.html>.

3.0.7                    2023-07-13            SSL\_GROUP\_TO\_NAME(3ossl)