



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'SSL_set_verify_result.3ossl'

\$ man SSL_set_verify_result.3ossl

SSL_SET_VERIFY_RESULT(3ossl) OpenSSL SSL_SET_VERIFY_RESULT(3ossl)

NAME

SSL_set_verify_result - override result of peer certificate verification

SYNOPSIS

```
#include <openssl/ssl.h>
```

```
void SSL_set_verify_result(SSL *ssl, long verify_result);
```

DESCRIPTION

SSL_set_verify_result() sets verify_result of the object ssl to be the result of the verification of the X509 certificate presented by the peer, if any.

NOTES

SSL_set_verify_result() overrides the verification result. It only

changes the verification result of the ssl object. It does not become part of the established session, so if the session is to be reused later, the original value will reappear.

The valid codes for `verify_result` are documented in `openssl-verify(1)`.

RETURN VALUES

`SSL_set_verify_result()` does not provide a return value.

SEE ALSO

`ssl(7)`, `SSL_get_verify_result(3)`, `SSL_get_peer_certificate(3)`,
`openssl-verify(1)`

COPYRIGHT

Copyright 2000-2016 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file `LICENSE` in the source distribution or at <https://www.openssl.org/source/license.html>.

3.0.7 2023-07-13 `SSL_SET_VERIFY_RESULT(3ossl)`