



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'SSL_want_read.3ossl'

\$ man SSL_want_read.3ossl

SSL_WANT(3ossl) OpenSSL SSL_WANT(3ossl)

NAME

SSL_want, SSL_want_nothing, SSL_want_read, SSL_want_write,
SSL_want_x509_lookup, SSL_want_retry_verify, SSL_want_async,
SSL_want_async_job, SSL_want_client_hello_cb - obtain state information
TLS/SSL I/O operation

SYNOPSIS

```
#include <openssl/ssl.h>
```

```
int SSL_want(const SSL *ssl);  
int SSL_want_nothing(const SSL *ssl);  
int SSL_want_read(const SSL *ssl);  
int SSL_want_write(const SSL *ssl);  
int SSL_want_x509_lookup(const SSL *ssl);  
int SSL_want_retry_verify(const SSL *ssl);  
int SSL_want_async(const SSL *ssl);
```

```
int SSL_want_async_job(const SSL *ssl);  
int SSL_want_client_hello_cb(const SSL *ssl);
```

DESCRIPTION

SSL_want() returns state information for the SSL object ssl.

The other SSL_want_*() calls are shortcuts for the possible states returned by SSL_want().

NOTES

SSL_want() examines the internal state information of the SSL object. Its return values are similar to that of SSL_get_error(3). Unlike SSL_get_error(3), which also evaluates the error queue, the results are obtained by examining an internal state flag only. The information must therefore only be used for normal operation under nonblocking I/O.

Error conditions are not handled and must be treated using SSL_get_error(3).

The result returned by SSL_want() should always be consistent with the result of SSL_get_error(3).

RETURN VALUES

The following return values can currently occur for SSL_want():

SSL_NOTHING

There is no data to be written or to be read.

SSL_WRITING

There are data in the SSL buffer that must be written to the underlying BIO layer in order to complete the actual SSL_*() operation. A call to SSL_get_error(3) should return SSL_ERROR_WANT_WRITE.

SSL_READING

More data must be read from the underlying BIO layer in order to complete the actual SSL_*() operation. A call to SSL_get_error(3) should return SSL_ERROR_WANT_READ.

SSL_X509_LOOKUP

The operation did not complete because an application callback set by SSL_CTX_set_client_cert_cb() has asked to be called again. A call to SSL_get_error(3) should return SSL_ERROR_WANT_X509_LOOKUP.

SSL_RETRY_VERIFY

The operation did not complete because a certificate verification callback has asked to be called again via SSL_set_retry_verify(3). A call to SSL_get_error(3) should return SSL_ERROR_WANT_RETRY_VERIFY.

SSL_ASYNC_PAUSED

An asynchronous operation partially completed and was then paused. See SSL_get_all_async_fds(3). A call to SSL_get_error(3) should return SSL_ERROR_WANT_ASYNC.

SSL_ASYNC_NO_JOBS

The asynchronous job could not be started because there were no async jobs available in the pool (see ASYNC_init_thread(3)). A call to SSL_get_error(3) should return SSL_ERROR_WANT_ASYNC_JOB.

SSL_CLIENT_HELLO_CB

The operation did not complete because an application callback set by SSL_CTX_set_client_hello_cb() has asked to be called again. A call to SSL_get_error(3) should return SSL_ERROR_WANT_CLIENT_HELLO_CB.

SSL_want_x509_lookup(), SSL_want_retry_verify(), SSL_want_async(),
SSL_want_async_job(), and SSL_want_client_hello_cb() return 1 when the
corresponding condition is true or 0 otherwise.

SEE ALSO

ssl(7), SSL_get_error(3)

HISTORY

The SSL_want_client_hello_cb() function and the SSL_CLIENT_HELLO_CB
return value were added in OpenSSL 1.1.1.

COPYRIGHT

Copyright 2001-2022 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use
this file except in compliance with the License. You can obtain a copy
in the file LICENSE in the source distribution or at
<<https://www.openssl.org/source/license.html>>.

3.0.7

2023-07-13

SSL_WANT(3ossl)