



Rocky Enterprise Linux 9.2 Manual Pages on command 'aplaymidi.1'

\$ man aplaymidi.1

APLAYMIDI(1) General Commands Manual APLAYMIDI(1)

NAME

aplaymidi - play Standard MIDI Files

SYNOPSIS

aplaymidi -p client:port[,...] [-d delay] midifile ...

DESCRIPTION

aplaymidi is a command-line utility that plays the specified MIDI file(s) to one or more ALSA sequencer ports.

OPTIONS

-h, --help

Prints a list of options.

-V, --version

Prints the current version.

-l, --list

Prints a list of possible output ports.

-p, --port=client:port,...

Sets the sequencer port(s) to which the events in the MIDI file(s) are sent.

A client can be specified by its number, its name, or a prefix of its name. A port is specified by its number; for port 0 of a client, the ":0" part of the port specification can be omitted.

Multiple ports can be specified to allow playback of MIDI file(s) that contain events for multiple devices (ports), as specified by "Port Number" meta events.

For compatibility with `pmidi(1)`, the port specification is taken from the `ALSA_OUTPUT_PORTS` environment variable if none is given on the command line.

`-d, --delay=seconds`

Specifies how long to wait after the end of each MIDI file, to allow the last notes to die away.

BUGS

`aplaymidi` handles "Port Number" meta events, but not "Port Name" meta events.

SEE ALSO

`pmidi(1)`

`playmidi(1)`

AUTHOR

Clemens Ladisch <clemens@ladisch.de>

2 Nov 2011

`APLAYMIDI(1)`