



### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'chpasswd.8'***

#### ***\$ man chpasswd.8***

CHPASSWD(8)                      System Management Commands                      CHPASSWD(8)

#### NAME

chpasswd - update passwords in batch mode

#### SYNOPSIS

chpasswd [options]

#### DESCRIPTION

The chpasswd command reads a list of user name and password pairs from standard input and uses this information to update a group of existing users. Each line is of the format:

user\_name:password

By default the passwords must be supplied in clear-text, and are encrypted by chpasswd. Also the password age will be updated, if present.

The default encryption algorithm can be defined for the system with the ENCRYPT\_METHOD or MD5\_CRYPT\_ENAB variables of /etc/login.defs, and can be overwritten with the -e, -m, or -c options.

chpasswd first updates all the passwords in memory, and then commits all the changes to disk if no errors occurred for any user.

This command is intended to be used in a large system environment where many accounts are created at a single time.

## OPTIONS

The options which apply to the `chpasswd` command are:

`-c, --crypt-method METHOD`

Use the specified method to encrypt the passwords.

The available methods are DES, MD5, NONE, and SHA256 or SHA512 if your libc support these methods.

By default (if none of the `-c`, `-m`, or `-e` options are specified), the encryption method is defined by the `ENCRYPT_METHOD` or `MD5_CRYPT_ENAB` variables of `/etc/login.defs`.

`-e, --encrypted`

Supplied passwords are in encrypted form.

`-h, --help`

Display help message and exit.

`-m, --md5`

Use MD5 encryption instead of DES when the supplied passwords are not encrypted.

`-R, --root CHROOT_DIR`

Apply changes in the `CHROOT_DIR` directory and use the configuration files from the `CHROOT_DIR` directory.

`-s, --sha-rounds ROUNDS`

Use the specified number of rounds to encrypt the passwords.

The value 0 means that the system will choose the default number of rounds for the crypt method (5000).

A minimal value of 1000 and a maximal value of 999,999,999 will be enforced.

You can only use this option with the SHA256 or SHA512 crypt method.

By default, the number of rounds is defined by the

`SHA_CRYPT_MIN_ROUNDS` and `SHA_CRYPT_MAX_ROUNDS` variables in `/etc/login.defs`.

## CAVEATS

Remember to set permissions or umask to prevent readability of unencrypted files by other users.

## CONFIGURATION

The following configuration variables in `/etc/login.defs` change the behavior of this tool:

### ENCRYPT\_METHOD (string)

This defines the system default encryption algorithm for encrypting passwords (if no algorithm are specified on the command line).

It can take one of these values: DES (default), MD5, SHA256, SHA512. MD5 and DES should not be used for new hashes, see `crypt(5)` for recommendations.

Note: this parameter overrides the `MD5_CRYPT_ENAB` variable.

### MD5\_CRYPT\_ENAB (boolean)

Indicate if passwords must be encrypted using the MD5-based algorithm. If set to yes, new passwords will be encrypted using the MD5-based algorithm compatible with the one used by recent releases of FreeBSD. It supports passwords of unlimited length and longer salt strings. Set to no if you need to copy encrypted passwords to other systems which don't understand the new algorithm. Default is no.

This variable is superseded by the `ENCRYPT_METHOD` variable or by any command line option used to configure the encryption algorithm.

This variable is deprecated. You should use `ENCRYPT_METHOD`.

### SHA\_CRYPT\_MIN\_ROUNDS (number), SHA\_CRYPT\_MAX\_ROUNDS (number)

When `ENCRYPT_METHOD` is set to SHA256 or SHA512, this defines the number of SHA rounds used by the encryption algorithm by default (when the number of rounds is not specified on the command line).

With a lot of rounds, it is more difficult to brute forcing the password. But note also that more CPU resources will be needed to authenticate users.

If not specified, the libc will choose the default number of rounds (5000), which is orders of magnitude too low for modern hardware.

The values must be inside the 1000-999,999,999 range.

If only one of the SHA\_CRYPT\_MIN\_ROUNDS or SHA\_CRYPT\_MAX\_ROUNDS values is set, then this value will be used.

If SHA\_CRYPT\_MIN\_ROUNDS > SHA\_CRYPT\_MAX\_ROUNDS, the highest value will be used.

## FILES

/etc/passwd

User account information.

/etc/shadow

Secure user account information.

/etc/login.defs

Shadow password suite configuration.

## SEE ALSO

passwd(1), newusers(8), login.defs(5), useradd(8).

shadow-utils 4.9

09/28/2022

CHPASSWD(8)