



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'convertquota.8'

\$ man convertquota.8

CONVERTQUOTA(8) System Manager's Manual CONVERTQUOTA(8)

NAME

convertquota - convert quota from old file format to new one

SYNOPSIS

convertquota [-ug] -e filesystem

convertquota [-ug] -f oldformat,newformat filesystem

DESCRIPTION

convertquota converts old quota files quota.user and quota.group to files aquota.user and aquota.group in new format currently used by 2.4.0-ac? and newer or by SuSE or Red Hat Linux 2.4 kernels on filesys? tem.

New file format allows using quotas for 32-bit uids / gids, setting

quotas for root, accounting used space in bytes (and so allowing use of

quotas in ReiserFS) and it is also architecture independent. This for? mat introduces Radix Tree (a simple form of tree structure) to quota file.

OPTIONS

-u, --user

convert user quota file. This is the default.

-g, --group

convert group quota file.

-f, --convert-format oldformat,newformat

convert quota file from oldformat to newformat.

-e, --convert-endian

convert vfst0 file format from big endian to little endian (old kernels had a bug and did not store quota files in little endian format).

-V, --version

print version information.

FILES

aquota.user new user quota file

aquota.group new group quota file

SEE ALSO

quota(1), setquota(8), edquota(8), quotacheck(8), quotaon(8), repquota(8)

AUTHOR

Jan Kara <jack@suse.cz>

Page 2/3

4th Berkeley Distribution

Fri Aug 20 1999

CONVERTQUOTA(8)