



Rocky Enterprise Linux 9.2 Manual Pages on command 'flatpak-remote-add.1'

\$ man flatpak-remote-add.1

FLATPAK REMOTE-ADD(1) flatpak remote-add FLATPAK REMOTE-ADD(1)

NAME

flatpak-remote-add - Add a remote repository

SYNOPSIS

flatpak remote-add [OPTION...] NAME LOCATION

DESCRIPTION

Adds a remote repository to the flatpak repository configuration. NAME is the name for the new remote, and LOCATION is a url or pathname. The LOCATION is either a flatpak repository, or a .flatpakrepo file which describes a repository. In the former case you may also have to specify extra options, such as the gpg key for the repo.

Unless overridden with the --user or --installation options, this command changes the default system-wide installation.

OPTIONS

The following options are understood:

-h, --help

Show help options and exit.

--from

Assume the URI is a .flatpakrepo file rather than the repository itself. This is enabled by default if the extension is .flatpakrepo, so generally you don't need this option.

`--user`

Modify the per-user configuration.

`--system`

Modify the default system-wide configuration.

`--installation=NAME`

Modify a system-wide installation specified by NAME among those defined in /etc/flatpak/installations.d/. Using

`--installation=default` is equivalent to using `--system`.

`--no-gpg-verify`

Disable GPG verification for the added remote.

`--prio=PRIO`

Set the priority for the remote. Default is 1, higher is more prioritized. This is mainly used for graphical installation tools.

It is also used when searching for a remote to provide an app's runtime. The app's origin is checked before other remotes with the same priority.

`--subset=SUBSET`

Limit the refs available from the remote to those that are part of the named subset.

`--no-enumerate`

Mark the remote as not enumerated. This means the remote will not be used to list applications, for instance in graphical installation tools.

`--no-use-for-deps`

Mark the remote as not to be used for automatic runtime dependency resolution.

`--if-not-exists`

Do nothing if the provided remote already exists.

`--disable`

Disable the added remote.

`--title=TITLE`

A title for the remote, e.g. for display in a UI.

`--comment=COMMENT`

A single-line comment for the remote, e.g. for display in a UI.

`--description=DESCRIPTION`

A full-paragraph description for the remote, e.g. for display in a UI.

`--homepage=URL`

URL for a website for the remote, e.g. for display in a UI.

`--icon=URL`

URL for an icon for the remote, e.g. for display in a UI.

`--default-branch=BRANCH`

A default branch for the remote, mainly for use in a UI.

`--filter=PATH`

Add a local filter to the remote. A filter file is a list of lines, each line starting with "allow" or "deny", and then a glob for the ref to allow or disallow. The globs specify a partial ref (i.e. you can leave out trailing parts which will then match everything), but otherwise only "*" is special, matching anything in that part of the ref.

By default all refs are allowed, but if a ref matches a deny rule it is disallowed unless it specifically matches an allow rule. This means you can use this to implement both allowlisting and blocklisting.

Here is an example filter file:

```
# This is an allowlist style filter as it denies all first
deny *
allow runtime/org.freedesktop.*
allow org.some.app/arm
allow org.signal.Signal/*/stable
allow org.signal.Signal.*/*/stable
```

`--gpg-import=FILE`

Import gpg keys from the specified keyring file as trusted for the

new remote. If the file is - the keyring is read from standard input.

`--authenticator-name=NAME`

Specify the authenticator to use for the remote.

`--authenticator-option=KEY=VALUE`

Specify an authenticator option for the remote.

`--authenticator-install`

Enable auto-installation of authenticator.

`--no-authenticator-install`

Disable auto-installation of authenticator.

`--no-follow-redirect`

Do not follow `xa.redirect-url` defined in the summary file.

`-v, --verbose`

Print debug information during command processing.

`--ostree-verbose`

Print OSTree debug information during command processing.

EXAMPLES

```
$ flatpak remote-add gnome https://sdk.gnome.org/gnome.flatpakrepo
```

```
$ flatpak --user remote-add --no-gpg-verify test-repo
```

```
https://people.gnome.org/~alexl/gnome-sdk/repo/
```

SEE ALSO

`flatpak(1)`, `flatpak-remote-modify(1)`, `flatpak-remote-delete(1)`,

`flatpak-remotes(1)`, `flatpak-flatpakrepo(5)`

`flatpak`

`FLATPAK REMOTE-ADD(1)`