



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'ftpusers.5'

\$ man ftpusers.5

FTPUSERS(5) Linux Programmer's Manual FTPUSERS(5)

NAME

ftpusers - list of users that may not log in via the FTP daemon

DESCRIPTION

The text file ftpusers contains a list of users that may not log in us?

ing the File Transfer Protocol (FTP) server daemon. This file is used

not merely for system administration purposes but also for improving

security within a TCP/IP networked environment.

The ftpusers file will typically contain a list of the users that ei?

ther have no business using ftp or have too many privileges to be al?

lowed to log in through the FTP server daemon. Such users usually in?

clude root, daemon, bin, uucp, and news.

If your FTP server daemon doesn't use ftpusers, then it is suggested

that you read its documentation to find out how to block access for

certain users. Washington University FTP server Daemon (wuftpd) and

Professional FTP Daemon (proftpd) are known to make use of ftpusers.

Format

The format of ftpusers is very simple. There is one account name (or

username) per line. Lines starting with a # are ignored.

FILES

/etc/ftpusers

SEE ALSO

passwd(5), proftpd(8), wuftp(8)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at
<https://www.kernel.org/doc/man-pages/>.

Linux

2000-08-27

FTPUSERS(5)