



Rocky Enterprise Linux 9.2 Manual Pages on command 'getprotoent_r.3'

\$ man getprotoent_r.3

GETPROTOENT_R(3) Linux Programmer's Manual GETPROTOENT_R(3)

NAME

getprotoent_r, getprotobyname_r, getprotobynumber_r - get protocol en?

try (reentrant)

SYNOPSIS

```
#include <netdb.h>
```

```
int getprotoent_r(struct protoent *result_buf, char *buf,  
                  size_t buflen, struct protoent **result);
```

```
int getprotobyname_r(const char *name,  
                     struct protoent *result_buf, char *buf,  
                     size_t buflen, struct protoent **result);
```

```
int getprotobynumber_r(int proto,  
                       struct protoent *result_buf, char *buf,  
                       size_t buflen, struct protoent **result);
```

Feature Test Macro Requirements for glibc (see feature_test_macros(7)):

getprotoent_r(), getprotobyname_r(), getprotobynumber_r():

Since glibc 2.19:

 _DEFAULT_SOURCE

Glibc 2.19 and earlier:

`_BSD_SOURCE || _SVID_SOURCE`

DESCRIPTION

The `getprotoent_r()`, `getprotobyname_r()`, and `getprotobynumber_r()` functions are the reentrant equivalents of, respectively, `getprotoent(3)`, `getprotobyname(3)`, and `getprotobynumber(3)`. They differ in the way that the `protoent` structure is returned, and in the function calling signature and return value. This manual page describes just the differences from the nonreentrant functions.

Instead of returning a pointer to a statically allocated `protoent` structure as the function result, these functions copy the structure into the location pointed to by `result_buf`.

The `buf` array is used to store the string fields pointed to by the returned `protoent` structure. (The nonreentrant functions allocate these strings in static storage.) The size of this array is specified in `buflen`. If `buf` is too small, the call fails with the error `ERANGE`, and the caller must try again with a larger buffer. (A buffer of length 1024 bytes should be sufficient for most applications.)

If the function call successfully obtains a protocol record, then `*result` is set pointing to `result_buf`; otherwise, `*result` is set to `NULL`.

RETURN VALUE

On success, these functions return 0. On error, they return one of the positive error numbers listed in `ERRORS`.

On error, record not found (`getprotobyname_r()`, `getprotobynumber_r()`), or end of input (`getprotoent_r()`) result is set to `NULL`.

ERRORS

`ENOENT` (`getprotoent_r()`) No more records in database.

`ERANGE` `buf` is too small. Try again with a larger buffer (and increased `buflen`).

ATTRIBUTES

For an explanation of the terms used in this section, see `attributes(7)`.

??

```

?Interface      ? Attribute  ? Value      ?
????????????????????????????????????????????????????????
?getprotoent_r(),  ? Thread safety ? MT-Safe locale ?
?getprotobyname_r(), ?          ?          ?
?getprotobynumber_r() ?          ?          ?
????????????????????????????????????????????????????????

```

CONFORMING TO

These functions are GNU extensions. Functions with similar names exist on some other systems, though typically with different calling signatures.

EXAMPLES

The program below uses `getprotobyname_r()` to retrieve the protocol record for the protocol named in its first command-line argument. If a second (integer) command-line argument is supplied, it is used as the initial value for `buflen`; if `getprotobyname_r()` fails with the error `ERANGE`, the program retries with larger buffer sizes. The following shell session shows a couple of sample runs:

```

$ ./a.out tcp 1

ERANGE! Retrying with larger buffer

getprotobyname_r() returned: 0 (success) (buflen=78)

p_name=tcp; p_proto=6; aliases=TCP

$ ./a.out xxx 1

ERANGE! Retrying with larger buffer

getprotobyname_r() returned: 0 (success) (buflen=100)

Call failed/record not found

```

Program source

```

#define _GNU_SOURCE

#include <ctype.h>

#include <netdb.h>

#include <stdlib.h>

#include <stdio.h>

#include <errno.h>

#include <string.h>

```

```

#define MAX_BUF 10000

int
main(int argc, char *argv[])
{
    int buflen, erange_cnt, s;
    struct protoent result_buf;
    struct protoent *result;
    char buf[MAX_BUF];

    if (argc < 2) {
        printf("Usage: %s proto-name [buflen]\n", argv[0]);
        exit(EXIT_FAILURE);
    }

    buflen = 1024;

    if (argc > 2)
        buflen = atoi(argv[2]);

    if (buflen > MAX_BUF) {
        printf("Exceeded buffer limit (%d)\n", MAX_BUF);
        exit(EXIT_FAILURE);
    }

    erange_cnt = 0;

    do {
        s = getprotobyname_r(argv[1], &result_buf,
                             buf, buflen, &result);

        if (s == ERANGE) {
            if (erange_cnt == 0)
                printf("ERANGE! Retrying with larger buffer\n");

            erange_cnt++;

            /* Increment a byte at a time so we can see exactly
             what size buffer was required */

            buflen++;

            if (buflen > MAX_BUF) {
                printf("Exceeded buffer limit (%d)\n", MAX_BUF);
                exit(EXIT_FAILURE);
            }
        }
    } while (s == ERANGE);
}

```

```

    }
}
} while (s == ERANGE);
printf("getprotobyname_r() returned: %s (buflen=%d)\n",
       (s == 0) ? "0 (success)" : (s == ENOENT) ? "ENOENT" :
       strerror(s), buflen);
if (s != 0 || result == NULL) {
    printf("Call failed/record not found\n");
    exit(EXIT_FAILURE);
}
printf("p_name=%s; p_proto=%d; aliases=",
       result_buf.p_name, result_buf.p_proto);
for (char **p = result_buf.p_aliases; *p != NULL; p++)
    printf("%s ", *p);
printf("\n");
exit(EXIT_SUCCESS);
}

```

SEE ALSO

getprotoent(3), protocols(5)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU 2020-11-01 GETPROTOENT_R(3)