



Rocky Enterprise Linux 9.2 Manual Pages on command 'grl-launch-0.3.1'

\$ man grl-launch-0.3.1

grl-launch(1) General Commands Manual grl-launch(1)

NAME

grl-launch - run Grilo operations from the command line

SYNOPSIS

grl-launch [OPTIONS] OPERATION PARAMETERS

DESCRIPTION

This manual page documents briefly the grl-launch command.

grl-launch is a tool that allows the user to run Grilo operations from the command line.

OPERATIONS

browse <source>|<media box>

may_resolve <key> <source>|<media box> [<source>]

query <expression> <source>

resolve <source>|<media> [<source>]

search <term> <source>

monitor <source>

test_media_from_uri <uri> [<source>]

media_from_uri <uri> <source>

OPTIONS

-h, --help

Show summary of grl-launch options.

--help-grl

Show summary of Grilo options.

--help-all

Show summary of all options.

-C, --config

Configuration file to send to sources

-c, --count

Number of elements to return

-d, --delay

Wait some seconds before performing the operation (default 1 second)

-f, --flags=full|fast_only|idle_relay

List of comma-separated flags to use

-F, --full

Full serialize

-k, --keys

List of comma-separated keys to retrieve

-S, --serialize

Serialize

-s, --skip

Number of elements to skip

-T, --titles

Print column titles (useful for CSV spreadsheets)

-V, --version

Print version

EXAMPLES

Print the ID for all the items searched in the Tracker source:

```
grl-launch-0.3 search "" -S grl-tracker-source
```

Print the ID and title for the items in the Apple Trailers source:

```
grl-launch-0.3 -k id,title browse grl-appletrailers-lua
```

Print the title for the videos indexed by Tracker:

```
grl-launch-0.3 -S browse -k title grlcontainer://grl-tracker-source/videos
```

AUTHOR

This manual page was written by Alberto Garcia <berto@igalia.com>.

August 25, 2014

grl-launch(1)