



Rocky Enterprise Linux 9.2 Manual Pages on command 'grub2-mkrescue.1'

\$ man grub2-mkrescue.1

GRUB-MKRESCUE(1) User Commands GRUB-MKRESCUE(1)

NAME

grub-mkrescue - make a GRUB rescue image

SYNOPSIS

grub-mkrescue [OPTION...] [OPTION] SOURCE...

DESCRIPTION

Make GRUB CD-ROM, disk, pendrive and floppy bootable image.

--appended-signature-size=SIZE

Add a note segment reserving SIZE bytes for an appended signature

--compress=no|xz|gz|lzo

compress GRUB files [optional]

--disable-shim-lock

disable shim_lock verifier

--dtb=FILE

embed a specific DTB

-d, --directory=DIR

use images and modules under DIR [default=/usr/lib/grub/<plat?

```

form>]

--fonts=FONTS

    install FONTS [default=unicode]

--install-modules=MODULES

    install only MODULES and their dependencies [default=all]

-k, --pubkey=FILE

    embed FILE as public key for signature checking

--locale-directory=DIR use translations under DIR

    [default=/usr/share/locale]

--locales=LOCALES

    install only LOCALES [default=all]

--modules=MODULES

    pre-load specified modules MODULES

--sbat=FILE

    SBAT metadata

--themes=THEMES

    install THEMES [default=starfield]

-v, --verbose

    print verbose messages.

-x, --x509key=FILE

    embed FILE as an x509 certificate for signature checking

--arcs-boot

    enable ARCS (big-endian mips machines, mostly SGI) boot. Dis?
    ables HFS+, APM, sparc64 and boot as disk image for i386-pc

--core-compress=xz|none|auto

    choose the compression to use for core image

--label-bgcolor=COLOR

    use COLOR for label background

--label-color=COLOR

    use COLOR for label

--label-font=FILE

    use FILE as font for label

-o, --output=FILE

```

save output in FILE [required]

--product-name=STRING

use STRING as product name

--product-version=STRING

use STRING as product version

--rom-directory=DIR

save ROM images in DIR [optional]

--sparc-boot

enable sparc boot. Disables HFS+, APM, ARCS and boot as disk im?

age for i386-pc

--xorriso=FILE

use FILE as xorriso [optional]

-, --help

give this help list

--usage

give a short usage message

-V, --version

print program version

Mandatory or optional arguments to long options are also mandatory or optional for any corresponding short options.

Generates a bootable CD/USB/floppy image. Arguments other than options to this program are passed to xorriso, and indicate source files, source directories, or any of the mkisofs options listed by the output of `xorriso -as mkisofs -help'.

Option -- switches to native xorriso command mode.

Mail xorriso support requests to <bug-xorriso@gnu.org>.

REPORTING BUGS

Report bugs to <bug-grub@gnu.org>.

SEE ALSO

grub-mkimage(1)

The full documentation for grub-mkrescue is maintained as a Texinfo manual. If the info and grub-mkrescue programs are properly installed at your site, the command

info grub-mkrescue

should give you access to the complete manual.

GRUB 2.06

August 2023

GRUB-MKRESCUE(1)