



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'iswalpha.3'

\$ man iswalpha.3

ISWALPHA(3) Linux Programmer's Manual ISWALPHA(3)

NAME

iswalpha - test for alphabetic wide character

SYNOPSIS

```
#include <wctype.h>

int iswalpha(wint_t wc);
```

DESCRIPTION

The `iswalpha()` function is the wide-character equivalent of the `isalpha(3)` function. It tests whether `wc` is a wide character belonging to the wide-character class "alpha".

The wide-character class "alpha" is a subclass of the wide-character class "alnum", and therefore also a subclass of the wide-character class "graph" and of the wide-character class "print".

Being a subclass of the wide-character class "print", the wide-character class "alpha" is disjoint from the wide-character class "cntrl".

Being a subclass of the wide-character class "graph", the wide-character class "alpha" is disjoint from the wide-character class "space" and its subclass "blank".

Being a subclass of the wide-character class "alnum", the wide-character class "alpha" is disjoint from the wide-character class "punct".
The wide-character class "alpha" is disjoint from the wide-character class "digit".
The wide-character class "alpha" contains the wide-character classes "upper" and "lower".
The wide-character class "alpha" always contains at least the letters 'A' to 'Z' and 'a' to 'z'.

RETURN VALUE

The `iswalpha()` function returns nonzero if `wc` is a wide character belonging to the wide-character class "alpha". Otherwise, it returns zero.

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

????????????????????????????????????????????????????????????

?Interface ? Attribute ? Value ?

????????????????????????????????????????????????????????????

?iswalpha() ? Thread safety ? MT-Safe locale ?

????????????????????????????????????????????????????????????

CONFORMING TO

POSIX.1-2001, POSIX.1-2008, C99.

NOTES

The behavior of `iswalpha()` depends on the `LC_CTYPE` category of the current locale.

SEE ALSO

`isalpha(3)`, `iswctype(3)`

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.