

Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'Ipmove.8'

\$ man Ipmove.8

lpmove(8)

Ipmove(8)

NAME

Ipmove - move a job or all jobs to a new destination

OpenPrinting

SYNOPSIS

Ipmove [-h server[:port]] [-E] [-U username] job destination

Ipmove [-h server[:port]] [-E] [-U username] source destination

DESCRIPTION

Ipmove moves the specified job or all jobs from source to destination.

job can be the job ID number or the old destination and job ID.

OPTIONS

The Ipmove command supports the following options:

- -E Forces encryption when connecting to the server.
- -U username

Specifies an alternate username.

-h server[:port]

Specifies an alternate server. Note: This option must occur be?

fore all others.

Move job 123 from "oldprinter" to "newprinter":

Ipmove 123 newprinter

or

Ipmove oldprinter-123 newprinter

Move all jobs from "oldprinter" to "newprinter":

Ipmove oldprinter newprinter

SEE ALSO

cancel(1), lp(1), lpr(1), lprm(1),

CUPS Online Help (http://localhost:631/help)

COPYRIGHT

Copyright ? 2007-2019 by Apple Inc.

2022-05-02

CUPS

lpmove(8)